


Blacklight BL368 Circline  
FC32W T9 BL 368  
0000100



Product features

- Circline 32W UV-A fluorescent lamp for insect attraction and fly traps.



PRODUCT OVERVIEW

Product name	FC32W T9 BL 368
Technology	Special applications
Lamp shape	Ring
Cap/Base	G10q
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
ETIM Class	EC002962
E-number FI	4940429
Light colour	BL368 Blacklight
Power consumption (W)	32
Wattage (W)	32
Dimmable	No
Dimming method	N/A
Average life (Nominal) (h)	8000
Product EAN number	5410288001005

DATA TABLE

General data	
Product name	FC32W T9 BL 368
Technology	Special applications
Lamp shape	Ring
Cap/Base	G10q
Lamp finish	Frosted/Coated
Fixture rating	Enclosed
General application	SPG
Operating temperature range (°C)	-20°C...+40°C
ETIM Class	EC002962
E-number FI	4940429

## Blacklight BL368 Circline

FC32W T9 BL 368

0000100

### Optical data

Light colour	BL368 Blacklight
Adjustable chromaticity	N

### Electrical data

Power consumption (W)	32
Wattage (W)	32
Primary Supply/Product voltage - min (V)	230
Primary Supply/Product voltage - max (V)	240
Control gear required	Yes
Dimmable	No
Dimming method	N/A

### Lifetime data

Average life (Nominal) (h)	8000
----------------------------	------

### Physical data

Length base to pin Min-Max (mm) - B	149.1-155.6
Weight (kg)	0.122

### Packaging

Product EAN number	5410288001005
Packaging single length / height (cm)	21.4
Packaging single width (cm)	21.4
Packaging single depth (cm)	3.6
DUN14 (outer)	15410288001002
Units per outer package	12
Packaging outer length / height (cm)	46.7
Packaging outer width (cm)	23.0
Packaging outer depth (cm)	23.5

### Safety data

Optimal operating condition (°C)	-20-40
Breakage cleaning instructions	Applicable
Recommendation for disposal at end of life	Applicable
Special purpose lamp	Yes
Intended purpose	Flykilling - Insect attraction
Suitable for household illumination	No
Safety message	Not suitable for household

## TECHNICAL DRAWINGS

## Blacklight BL368 Circline FC32W T9 BL 368 0000100

