

Blacklight BL368 Compact

Lynx-L 18W BL368

0025268



Range Features

- These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency
- 100% improvement in effectiveness (at 368nm)
- Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
- Performs longer and better throughout the insect season
-
- Directions for use
- Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage



PRODUCT OVERVIEW

Colour temperature (K)	UV-A lamp
EAN code	5410288252681
Type	BL368
Watt (Nominal) (W)	18
Ordering number	0025268
Technology	Fluorescent

DATA TABLE

Optical data

Colour temperature (K)	UV-A lamp
------------------------	-----------

General data

EAN code	5410288252681
General application	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer
Intended purpose	Special lighting
Type	BL368
Ordering number	0025268

Blacklight BL368 Compact

Lynx-L 18W BL368

0025268

These BL368 tubes emit an upgraded highly concentrated radiation with peak around 368nm. Flying insect - eye sensitivity is generally at or near this frequency
 100% improvement in effectiveness (at 368nm)
 Depreciation of UV-A output over time is significantly reduced (80% at 5000hrs of original 100 hour output)
 Performs longer and better throughout the insect season

Range features

Directions for use

Maximum exposure limits are set by EN60335 2-59:1997 at an effective 1,0 milliWatt per metre squared (1,0 mW/m) measured at a distance of 1 metre - originally based on the recommendations of the National Radiological Protection Board in the UK. The irradiance value for a single BL BL368-lamp measured without reflector and/or fixture, in free air at 25 celsius, is varying between 0,2 and 0,4 mW/m depending on the wattage

Product name	Lynx-L 18W BL368
Special purpose lamp	Yes
Technology	Fluorescent
Sales pack quantity	10
E-number FI	4940702


Electrical data

Watt (Nominal) (W)	18
---------------------------	----

Physical data

Single packaging type	Box/Sleeve
Weight (kg)	0.07
Outer package dimensions (L x W x H) (cm)	29.00 x 15.00 x 11.00
Single package dimensions (L x W x H) (cm)	27.00 x 4.60 x 2.70

TECHNICAL DRAWINGS



Blacklight BL368 Compact

Lynx-L 18W BL368

0025268

