



GE
Lighting



PAR 36 4626 28.0V **24964**

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



WORLDWIDE PARTNER

Product data

Product Code	24964
Bulb Shape	PAR
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	233
Gross weight per piece [g]	251
Brand	General Electric (GE)
Cap/Base	Screw terminal

Performance data

Nominal beam angle [°]	30
Nominal center beam candlepower (CBCP) [cd]	25000

Electrical data

Lamp Current [A]	5.36
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	28

Logistic data

DUN Code	00043168249645
Pack Quantity	12
Layer quantity	144 EUR, 192 UK
Layer quantity EUR	144
Layer quantity UK	192
Pallet quantity EUR (PC)	432
Pallet quantity UK (PC)	576
Outer case size	311 x 226 x 313 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination