



GE
Lighting



PAR 64
4552 28.0V
40576

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



WORLDWIDE PARTNER

Product data

Cap/Base	Screw terminal
Bulb Shape	PAR
Bulb Diameter [mm]	203.2
Maximum Overall Length [mm]	152.4
Net weight per piece [g]	866
Gross weight per piece [g]	962
Brand	General Electric (GE)

Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	500000

Electrical data

Nominal power [W]	250
Nominal lamp voltage [V]	28
Lamp Current [A]	8.93
Coil type	CC-8
Dimming Capability	Yes
Ballast Required	Yes

Logistic data

DUN Code	43168405768
EAN Code	43168405768
Pack Quantity	12
Layer quantity	108 UK
Layer quantity UK	108
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	108
Outer case size	384 x 354 x 551 (mm)

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination