




GE  
Lighting



61  
kWh/1000h

B  
energy class

## Cinema Plus Biax™ F55BX/CINPLUS/55 GE 1/10/40 MIH 41911

### Product information

GE offers 55 W high lumen lamps called Cinema Plus and Studio Biax for TV studio and video applications. Both lamps are colour tuned to match tungsten and daylight lamp sources. Cinema Plus is recommended for film use. This "Film Friendly" matches the spectral sensitivity of tungsten or daylight film stock. This full-spectrum design has a CRI up to 95 and is a gel-free light source.

### Application areas



Film and Broadcast



WORLDWIDE PARTNER

## Product data

Cap/Base	2G11
Bulb Shape	Biax Plug-in
Bulb Diameter [mm]	43.8
Bulb maximum overall diameter [mm]	43.8
Maximum Overall Length [mm]	541.8
Net weight per piece [g]	202
Gross weight per piece [g]	267
Operating position	U - Universal
Brand	General Electric (GE)

## Performance data

Colour Rendering Index (CRI) [Ra]	94
Nominal correlated colour temperature (CCT) [K]	5500
Nominal lumens [lm]	2400
Energy efficiency class (EEC)	B
Rated Life [h]	2000
Weighted energy consumption [kWh/1000h]	60.5

## Electrical data

Nominal lamp voltage [V]	101
Ballast Required	Yes

## Logistic data

DUN Code	10043168419113
EAN Code	43168419116
Pack Quantity	40
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	280 EUR, 360 UK
Layer quantity EUR	280
Layer quantity UK	360
Pallet quantity EUR (PC)	840
Pallet quantity UK (PC)	1080
Outer case size	595 x 210 x 308 (mm)

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special Purpose Lamp, Not suited for household illumination