



GE  
Lighting



## PAR 46 H7635 12.8V **43591**

### Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

### Application areas



Club and Disco



WORLDWIDE PARTNER

## Product data

Product Code	43591
Bulb Shape	Mirrored reflector
Bulb Diameter [mm]	50.8
Maximum Overall Length [mm]	44.45
Net weight per piece [g]	418
Gross weight per piece [g]	420
Brand	General Electric (GE)
Cap/Base	GX5.3

## Performance data

Nominal beam angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	160000
Rated Life [h]	1000
Nominal correlated colour temperature (CCT) [K]	3150
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Coil type	C-6
Ballast Required	Yes
Nominal power [W]	85
Nominal lamp voltage [V]	13

## Logistic data

DUN Code	00043168435918
Pack Quantity	12
Layer quantity	144 EUR, 144 UK
Layer quantity EUR	144
Layer quantity UK	144
Pallet quantity EUR (PC)	288
Pallet quantity UK (PC)	288
Outer case size	270 x 259 x 389 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special purpose lamp – Aircraft. Not suitable for household illumination.