

# DECOSTAR 51 TITAN 50 W 12 V 36° GU5.3

DECOSTAR 51 TITAN | Halogen dichroic reflector lamps with 51 mm diameter



### Areas of application

- General illumination
- Shops
- Restaurants, hotels and similar prestigious applications
- Offices, public buildings

### Product benefits

- Brilliant accent light
- Constant bluish appearance of the light escaping at the back of the reflector
- Dichroic reflector reduces the heat in the light beam by up to 66 %
- Constant luminous intensity and constant color location throughout the lifetime
- Flat clear shield
- Approved for use in open luminaires (to IEC 60598-1)
- UV filter
- Contains no mercury

#### Product features

- Average life: 4,000 h
- 100 % dimmable
- Color rendering index R<sub>2</sub>: 100
- Color temperature: 3,000 K
- Diameter: 51 mm
- Deco cover



## Technical data

## **Electrical data**

Nominal wattage	50.00 W
Nominal voltage	12.0 V
Rated wattage	50.00 W
Number of switching cycles	100000
Power factor $\lambda$	1.00


### Photometrical data

Nominal useful luminous flux 90°	770 lm
Luminous intensity	2200 cd
Color temperature	3000 К
Light color (designation)	Warm White
Color rendering index Ra	100
Rated useful luminous flux 90°	770 lm

# Light technical data

Beam angle	36 °
Starting time	0.0 s
Warm-up time (60 %)	0.00 s

# Dimensions & weight



Diameter	51.0 mm
Length	46.0 mm
Overall length	46.0 mm
Outer bulb	MR51
Maximum diameter	51.0 mm

# Lifespan

Nominal lamp life time	4000 h
Rated lamp life time	4000 h
Lumen main.fact.at end of nom.life time	0.75

## Additional product data

Base (standard designation)	GU5.3
Lamp mercury content	0.0 mg
Mercury-free	Yes

## Capabilities

Burning position	Any
Dimmable	Yes


## Certificates & standards

Energy efficiency class	В
Energy consumption	53 kWh/1000h

# Country specific categorizations

ILCOS	HRGS//UB-50-12-GU5.3-51/36

### **Light Distribution**



#### Spectral power distribution

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4006584832248	DECOSTAR 51 TITAN 50 W 12 V 36° GU5.3	Shipping carton box 6	298 mm x 154 mm x 128 mm	5.87 dm³	365.00 g
4050300428772	DECOSTAR 51 TITAN 50 W 12 V 36° GU5.3	Shipping carton box 20	151 mm x 126 mm x 196 mm	3.73 dm³	836.00 g
4050300462554	DECOSTAR 51 TITAN 50 W 12 V 36° GU5.3	Shipping carton box 20	238 mm x 105 mm x 123 mm	3.07 dm <sup>3</sup>	820.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### References / Links

For light distribution curves see

www.osram.com

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.