

ORIGINAL LINE R2

Original spare part



The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

| | |
|---|------------------------|
| Order reference | 64183 |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| | |
|-----------------|-------------------------|
| Power input | 57 / 51 W ¹⁾ |
| Nominal voltage | 12.0 V |
| Nominal wattage | 45/40 W |
| Test voltage | 13.2 V |

¹⁾ Maximum

Photometrical data

| | |
|-------------------------|-------------|
| Luminous flux | 1030/675 lm |
| Luminous flux tolerance | ±15 % |
| Color temperature | 3200 K |

Dimensions & weight



| | |
|----------------|---------|
| Diameter | 17.0 mm |
| Product weight | 22.40 g |
| Length | 82.0 mm |

Lifespan

| | |
|-------------|----------------------------|
| Lifespan B3 | 250 / 400 h ¹⁾ |
| Lifespan Tc | 500 / 1200 h ¹⁾ |

¹⁾ Filament 1 / Filament 2

Additional product data

Product datasheet

| | |
|-----------------------------|------|
| Base (standard designation) | P45t |
|-----------------------------|------|

Capabilities

| | |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

| | |
|--------------|----|
| ECE category | R2 |
|--------------|----|

Country specific categorizations

| | |
|-----------------|-------|
| Order reference | 64183 |
|-----------------|-------|

Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|---------------|---------|------------|--------|
| 4050300350554 | OSRA64183 | - | - | - |
| 4050300350561 | OSRA64183 | - | - | - |
| 4050300350554 | OSRA64183 | - | - | - |
| 4050300925400 | OSRA64183BLI1 | - | - | - |
| 4050300925400 | OSRA64183BLI1 | - | - | - |

Logistical Data


| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300350554 | ORIGINAL LINE R2 | Folding carton box 1 | 47 mm x 47 mm x 71 mm | 0.16 dm ³ | 36.00 g |
| 4050300350561 | ORIGINAL LINE R2 | Bundle 10 | 143 mm x 71 mm x 192 mm | 1.95 dm ³ | 327.00 g |
| 4050300350578 | ORIGINAL LINE R2 | Shipping carton box 100 | 485 mm x 160 mm x 250 mm | 19.40 dm ³ | 3523.00 g |
| 4050300925400 | ORIGINAL LINE R2 | Blister 1 | 135 mm x 95 mm x 50 mm | 0.64 dm ³ | 41.00 g |
| 4008321142887 | ORIGINAL LINE R2 | Shipping carton box 10 | 335 mm x 145 mm x 116 mm | 5.63 dm ³ | 510.00 g |
| 4052899411944 | ORIGINAL LINE R2 | Blister 1 | 135 mm x 95 mm x 50 mm | 0.64 dm ³ | 41.00 g |
| 4052899411951 | ORIGINAL LINE R2 | Shipping carton box 10 | 335 mm x 115 mm x 146 mm | 5.62 dm ³ | 510.00 g |
| 4062172156387 | ORIGINAL LINE R2 | Folding carton box 1 | 47 mm x 47 mm x 70 mm | 0.15 dm ³ | 31.00 g |
| 4062172156394 | ORIGINAL LINE R2 | Bundle 10 | - x - x - | | |

Product datasheet

| | | | | | |
|---------------|------------------|----------------------------|-----------------------------|-----------------------|-----------|
| 4062172156400 | ORIGINAL LINE R2 | Shipping carton box 100 | 485 mm x 245 mm x 156 mm | 18.54 dm ³ | 3557.00 g |
|---------------|------------------|----------------------------|-----------------------------|-----------------------|-----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|---------------------------------------|
|  | 360 Degree Image ORIGINAL R2 64183 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM