OSRAM

ORIGINAL - FESTOON C5W

Original spare part





The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Technical data

Product information

Order reference	6423	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	45 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	36.0 mm
Diameter	11.0 mm
Product weight	2.98 g

Lifespan

Lifespan B3	1500 h
Lifespan Tc	4000 h

Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

Capabilities

Technology	AUX

Certificates & standards

ECE category	C5W
ECE category	C5W

Country specific categorizations

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300831435	OSRA6423	8328186	4738004	-
4050300525204	OSRA6423	8328186	4738004	-
4050300831435	OSRA6423	8328186	4738004	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300831435	ORIGINAL FESTOON C5W	Unpacked 1	- x - x -		
4050300525204	ORIGINAL FESTOON C5W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	41.00 g
4008321094322	ORIGINAL FESTOON C5W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	255.00 g
4050300925981	ORIGINAL FESTOON C5W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	11.00 g
4008321140487	ORIGINAL FESTOON C5W	Shipping carton box 20	137 mm x 105 mm x 84 mm	1.21 dm³	151.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















OSRAM