

PRODUCT DATASHEET

64339 A 105-10

PARATHOM® LINE R7s | Double-ended special LED lamps



TECHNICAL DATA

Electrical data

| | |
|-----------------|-------|
| Nominal wattage | 105 W |
| Nominal current | 6.6 A |

Photometrical data

| | |
|--------------------|----------|
| Luminous intensity | 30000 cd |
| Color temperature | 3300 K |
| Light color | 33 |

Dimensions & weight

| | |
|---|----------|
| Overall length | 46.00 mm |
| Length | 48.00 mm |
| Length with base excl. base pins/connection | 48,00 mm |
| Diameter | 50.2 mm |
| Product weight | 31.1 g |

Lifespan

| | |
|------------------------|--------|
| Nominal lamp life time | 1000 h |
|------------------------|--------|

Additional product data

| | |
|-----------------------------|--------------------------------|
| Base (standard designation) | Leads w/female flat connectors |
|-----------------------------|--------------------------------|

Capabilities

| | |
|------------------|------------|
| Burning position | Horizontal |
|------------------|------------|


Country-specific categorizations

| | |
|-----------------|-------|
| Order reference | 64339 |
|-----------------|-------|

Safety advice

- To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (protective shields, grids, etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. There must also be a warning sign to indicate that the lamps give off high levels of heat. Detailed information is available on request.

DOWNLOAD DATA

| DOWNLOAD DATA | |
|--|---|
|  | PRODUCT DATASHEET 315496_64339 A/AC/B/C (GB) |

DOWNLOAD DATA



Advertisements
324468_The reliable guiding stars (GB)

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|----------------------|
| 4008321101600 | Folding box 1 | 63 mm x 50 mm x 50 mm | 35.00 g | 0.16 dm ³ |
| 4008321101617 | Shipping box 20 | 257 mm x 132 mm x 112 mm | 790.00 g | 3.80 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

- For more information on airfield lamps see the brochure: "The reliable guiding stars - Effective solutions for airfield lighting: Tungsten halogen lamps and LED light sources".

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.