## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		2.1.1011 (20) 2013/ 2	io 13 With regard to energ	By 14.00
Supplier's name	e or trade mark:	OSRAM		
Supplier's addre	ess: OSRAM Gmb	oH, Nonnendamma	llee 44, 13629 Berlin, DE	
Model identifie	r: 40083216242	15		
Type of light so	urce:			
Lighting technol	logy used:	HL	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)		GY9.5		
Mains or non-mains:		MLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		705	Energy efficiency class	G
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		16 415 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 201
On-mode power (P <sub>on</sub> ), expressed in W		705,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	100
Outer dimensions	Height	90	Spectral power	See image
	Width	22	distribution in the	in last page
without	Depth	22		Page 1 /

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,423

(a)'-': not applicable; (b)'-': not applicable;

