## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: OSRAM

Supplier's address: OSRAM GmbH, Nonnendammallee 44, 13629 Berlin, DE

## **Model identifier:** 4008321654038

## Type of light source:

Lighting technology used:	HL	Non-directional or directional:	NDLS		
Light source cap-type	G38				
(or other electric interface)					
Mains or non-mains:	MLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					

Flouder parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
0,	mption in on- 100 h), rounded st integer	2 090	Energy efficiency class	G	
indicating if it r in a sphere (3	us flux (фuse), efers to the flux 60º), in a wide n a narrow cone	48 560 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 142	
On-mode p expressed in W	oower (P <sub>on</sub> ),	2 090,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00	
for CLS, expre	ndby power (P <sub>net</sub> ) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	100	
Outer dimensions without	Height	210	Spectral power	See image	
	Width	34	distribution in the	in last page	
	Depth	34	1	Page 1/3	

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalen power (W)	t –
	Chromaticity coordinates (x and y	0,427

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

