## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: OSRAM

Supplier's address: OSRAM GmbH, Nonnendammallee 44, 13629 Berlin, DE

**Model identifier:** 4008321654021

## Type of light source:

Anti-glare shield:	No No	Dimmable:	Yes
	NO		
High luminance light source:	Nia		
Colour-tuneable light source:	No	Envelope:	-
Mains or non-mains:	MLS	Connected light source (CLS):	No
Light source cap-type (or other electric interface)	658		
Lighting technology used:	HL 	Non-directional or directional:	NDLS

		Product para	lieleis			
Parameter		Value	Parameter	Value		
General product parameters:						
0,	mption in on- 000 h), rounded est integer	1 995	Energy efficiency class	G		
indicating if it r in a sphere (3	us flux (фuse), refers to the flux 60º), in a wide in a narrow cone	46 095 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 139		
On-mode expressed in W	oower (P <sub>on</sub> ),	1 995,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the second decimal	0,00		
for CLS, expre	ndby power (P <sub>net</sub> ) ssed in W and second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI- values that can be set	100		
Outer dimensions without	Height	210	Spectral power	See image		
	Width	34	distribution in the	in last page		
	Depth	34	]	     Page 1 / 3		

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	- If yes, equivalen power (W)	t –
	Chromaticity coordinates (x and y	0,427

(a)<sub>'-'</sub> : not applicable;

(b)'-' : not applicable;

