



MASTER CityWhite CDO-TT



MASTER CityWh CDO-TT Plus 100W/828 E40

Ceramic metal halide lamp with clear tubular outer bulb shape, used in outdoor offering pleasant white light

Warnings and Safety

- · Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- $\boldsymbol{\cdot}$ The luminaire must be able to contain hot lamp parts if the lamp ruptures
- · Lamps may use electromagnetic control gear or electronic gear suitable to drive CDO lamps (e.g. HID-PV Xt CDO)
- · Control gear must include end-of-life protection (IEC61167, IEC 62035)
- · Warm restart time can be up to 15 minutes; T15 ignitors therefore advised
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information				
Cap-Base	E40 [E40]			
Operating Position	UNIVERSAL [Any or Universal (U)]			
Flux measurement reference	Sphere			
Life to 50% Failures (Nom)	27,000 hour(s)			
Light Technical				
Color Code	828 [CCT of 2800K]			
Luminous Flux	10,450 lumen			
Color Designation	Warm White (WW)			
Chromaticity Coordinate X (Nom)	0.447			
Chromaticity Coordinate Y (Nom)	0.4			
Correlated Color Temperature (Nom)	2800 K			

Luminous Efficacy (rated) (Nom)	106 lm/W
Color rendering index (CRI)	88
Operating and Electrical	
Power Consumption	99.0 W
Voltage (Nom)	100 V
Voltage (Nom)	100 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Clear


Datasheet, 2023, October 16 data subject to change

MASTER CityWhite CDO-TT

Bulb Shape	T46 [T 46mm]		
Approval and Application			
Energy Efficiency Class	F		
Mercury (Hg) Content (Max)	12 mg		
Mercury (Hg) Content (Nom)	11.6 mg		
Energy Consumption kWh/1000 h	99 kWh		
EPREL Registration Number	473325		
Product Data			
Full product code	871829112032200		


Order product name	MASTER CityWh CDO-TT Plus 100W/828 E40			
Order code	928082119231			
Numerator - Quantity Per Pack	1			
Numerator - Packs per outer box	12			
Material Nr. (12NC)	928082119231			
Full product name	MASTER CityWh CDO-TT Plus 100W/828 E40			
EAN/UPC - Case	8718291120339			
EAN/UPC - Product/Case	8718291120322			

Dimensional drawing




Product	D (max)	0	L	C (max)
MASTER CityWh CDO-TT Plus 100W/828 E40	47 mm	8.5 mm	132 mm	211 mm

Photometric data




Light Distribution Diagram - MASTER CityWh CDO-TT Plus 100W/828 E40




Spectral Power Distribution Colour - MASTER CityWh CDO-TT Plus 100W/828 E40

MASTER CityWhite CDO-TT

Lifetime





Life Expectancy Diagram - MASTER CityWh CDO-TT Plus 100W/828 E40

Lumen Maintenance Diagram - MASTER CityWh CDO-TT Plus 100W/828 E40

