PHILIPS Lighting



MASTER CityWhite CDO-TT

MASTER CityWh CDO-TT Plus 50W/828 E27

Ceramic metal halide lamp with clear tubular outer bulb shape, used in outdoor offering pleasant white light

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- \cdot The luminaire must be able to contain hot lamp parts if the lamp ruptures
- · Lamps may use electromagnetic control gear or electronic gear suitable to drive CDO lamps (e.g. HID-PV Xt CDO)
- Control gear must include end-of-life protection (IEC61167, IEC 62035)
- Warm restart time can be up to 15 minutes; T15 ignitors therefore advised
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Luminous Efficacy (rated) (Nom)	104 lm	
Cap-Base	E27 [E27]	Color rendering index (CRI)	84	
Operating Position	UNIVERSAL [Any or Universal (U)]			
Flux measurement reference	Sphere	Operating and Electrical		
Life to 50% Failures (Nom)	21,000 hour(s)	Power Consumption	53.0 W	
		Voltage (Nom)	83 V	
Light Technical		Voltage (Nom)	83 V	
Color Code	828 [CCT of 2800K]			
Luminous Flux	5,500 lumen	Controls and Dimming		
Color Designation	Warm White (WW)	Dimmable	Yes	
Chromaticity Coordinate X (Nom)	0.447			
Chromaticity Coordinate Y (Nom)	0.4	Mechanical and Housing		
Correlated Color Temperature (Nom)	2800 K	Bulb Finish	Clear	


F G

MASTER CityWhite CDO-TT

Bulb Shape	T31 [T 31mm]
Approval and Application	
Energy Efficiency Class	F
Mercury (Hg) Content (Max)	5.4 mg
Mercury (Hg) Content (Nom)	5.4 mg
Energy Consumption kWh/1000 h	53 kWh
EPREL Registration Number	473330
Product Data	
Full product code	871829118561100

Order product name	MASTER CityWh CDO-TT Plus 50W/828 E27		
Order code	928082419235		
Numerator - Quantity Per Pack	1		
Numerator - Packs per outer box	12		
Material Nr. (12NC)	928082419235		
Full product name	MASTER CityWh CDO-TT Plus 50W/828 E27		
EAN/UPC - Case	8718291185628		
EAN/UPC - Product/Case	8718291185611		

Dimensional drawing



Photometric data


150°

(cd/1000lm)

120°


90°

60°



Light Distribution Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27


Product	D (max)	0	L	C (max)
MASTER CityWh CDO-TT Plus 50W/828 E27	36 mm	5.25 mm	102 mm	156 mm



Spectral Power Distribution Colour - MASTER CityWh CDO-TT Plus 50W/828 E27

MASTER CityWhite CDO-TT

Lifetime



Life Expectancy Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27 Lumen Maintenance Diagram - MASTER CityWh CDO-TT Plus 50W/828 E27



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, October 9 - data subject to change