



MASTER TL-D 90 De Luxe

MASTER TL-D 90 De Luxe 58W/950 SLV/10

This TL-D lamp makes colors appear rich, deep and enhanced in a natural way. Thus very suitable for applications where a high color recognition is needed: first aid and treatment rooms in hospitals, printing rooms, jewelry, dentists, hairdressing, museums and shops

Product data

• General Information

Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Life To 10% Failures (Nom)	12000 h
Life To 50% Failures (Nom)	15000 h
Life To 50% Failures Preheat (Nom)	20000 h

• Light Technical

Color Code	950 [CCT of 5000K]
Luminous Flux (Nom)	4550 lm
Luminous Flux (Rated) (Nom)	4550 lm
Color Designation	Daylight
Chromaticity Coordinate X (Nom)	340
Chromaticity Coordinate Y (Nom)	352
Correlated Color Temperature (Nom)	5300 K
Luminous Efficacy (rated) (Nom)	77.8 lm/W
Color Rendering Index (Nom)	92

• Operating and Electrical

Power (Rated) (Nom)	58.5 W
Lamp Current (Nom)	0.670 A

• Temperature

Design Temperature (Nom)	25 °C
--------------------------	-------

• Controls and Dimming

Dimmable	Yes
----------	-----

• Approval and Application

Energy Efficiency Label (EEL)	A
Mercury (Hg) Content (Nom)	3.0 mg
Energy Consumption kWh/1000 h	68 kWh

• Product Data

Full product code	871150088871625
Order product name	MASTER TL-D 90 De Luxe 58W/950 SLV/10
EAN/UPC - Product	8711500888716
Order code	928045095081
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	928045095081
Net Weight (Piece)	186.000 g
ILCOS Code	FD-58/53/1A-E-G13


PHILIPS

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and

remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.


Dimensional drawing





TL-D De Luxe 58W/950

Product	D	A	B	B	C
MASTER TL-D 90 De Luxe 58W/950 SLV/10	28 mm	1500.0 mm	1507.1 mm	1504.7 mm	1514.2 mm

G13, T8



Photometric data



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 28
data subject to change