
64138

Lamps with metal bases for trucks



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data



Electrical data

Power input	28 W
Nominal voltage	24.0 V
Nominal wattage	21.00 W
Power input tolerance	±5 %
Test voltage	28.0 V

Photometrical data

Luminous flux	600 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	38.9 mm
Diameter	9 mm
Product weight	2.70 g

Lifespan

Lifespan B3	150 h
Lifespan Tc	400 h

Additional product data

Base (standard designation)	BAY9s
-----------------------------	-------

Certificates & standards

ECE category	H21W
--------------	------

Country specific categorizations

Product datasheet

Order reference	64138 21W 24V B
-----------------	-----------------

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094988	OSRA64138	-	-	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094988	64138	Unpacked 1	45 mm x 8 mm x 14 mm	0.01 dm ³	5.00 g
4008321094995	64138	Folding carton box 10	138 mm x 56 mm x 43 mm	0.33 dm ³	40.00 g
4008321095008	64138	Shipping carton box 50	205 mm x 64 mm x 144 mm	1.89 dm ³	250.00 g
4050300883366	64138	Unpacked 1	- x - x -		
4050300883373	64138	Folding carton box 250	- x - x -		
4050300883380	64138	Shipping carton box 2000	310 mm x 285 mm x 150 mm	13.25 dm ³	6168.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.