SYLVANIA

Aquastar T8 F36W/Aquastar Retail 0000647



Range Features

- Light colour: 10000 Kelvin (simulating the tropical light spectrum)
- Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum
- Excellent lighting performance
- Applications
 For all bioloc
- For all biological organisms in fresh and marine water aquariums



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Colour temperature (K)	10000
Dimmable	Yes
EAN code	5410288006475
Cap/Base	G13
Туре	AquaStar
Watt (Nominal) (W)	36
Ordering number	0000647
Luminous flux (Rated) (lm)	2200
Technology	Fluorescent
Voltage (V)	103

DATA TABLE

General data	
Average life (Nominal) (h)	10000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288006475
Fixture rating	Open



Aquastar T8 F36W/Aquastar Retail 0000647

General application	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer
IEC Reference	Special lighting
Intended purpose	Special lighting
Cap/Base	G13
Lamp mercury content (mg)	10
Туре	AquaStar
Ordering number	0000647
Range features	Light colour: 10000 Kelvin (simulating the tropical light spectrum) Promotes the growth of coral and aquatic plants through natural red and blue sections of the light spectrum Excellent lighting performance Applications For all biological organisms in fresh and marine water aquariums
Product name	F36W/Aquastar Retail
Special purpose lamp	Yes
Technology	Fluorescent
Transformer required	No
Sales pack quantity	10
Optical data	
Optical data Colour temperature (K)	10000
	10000 2200
Colour temperature (K)	
Colour temperature (K) Luminous flux (Nominal) (lm)	2200
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im)	2200
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data	2200 2200
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A)	2200 2200 0.43
Colour temperature (K) Luminous flux (Nominal) (lm) Luminous flux (Rated) (lm) Electrical data Current (A) Watt (Nominal) (W)	2200 2200 0.43 36
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W)	2200 2200 0.43 36 36
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V)	2200 2200 0.43 36 36
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data	2200 2200 0.43 36 36 103
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D	2200 2200 0.43 36 36 103 26
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L	2200 2200 0.43 36 36 103 26 1213.6
Colour temperature (K) Luminous flux (Nominal) (Im) Luminous flux (Rated) (Im) Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A	2200 2200 0.43 36 36 103 26 1213.6 1199.4

TECHNICAL DRAWINGS



Aquastar T8 F36W/Aquastar Retail 0000647

