

5637

ORIGINAL | Lamps with metal bases



Areas of application

- Position and parking light
- Indicator, brake, fog and reversing lights
- Number plate and side position lights

Product benefits

- OEM Quality
- Wide product range
- Reliable quality

Product features

- Original spare parts

Technical data



Electrical data

Power input	12.5 W
Nominal voltage	24.0 V
Nominal wattage	10.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	125 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	37.5 mm
Diameter	16.0 mm
Product weight	5.96 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	BA15s
-----------------------------	-------

Certificates & standards

ECE category	R10W
--------------	------

Country specific categorizations

Product datasheet

Order reference	5637 10W 24V BA
-----------------	-----------------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300831459	OSRA5637	8328150	4730341	-

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300831459	5637	Unpacked 1	28 mm x 13 mm x 17 mm	0.01 dm ³	5.95 g
4050300525181	5637	Folding carton box 10	39 mm x 55 mm x 142 mm	0.30 dm ³	72.50 g
4008321095411	5637	Shipping carton box 50	205 mm x 64 mm x 144 mm	1.89 dm ³	412.50 g
4050300926049	5637	Blister 2	71 mm x 15 mm x 53 mm	0.06 dm ³	14.33 g
4008321140463	5637	Shipping carton box 20	189 mm x 105 mm x 81 mm	1.61 dm ³	222.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.