



# **Halogen reflector**

## 13289 50W GX5.3 13.8V 1CT/24

Philips' halogen reflector lamps offer the ideal no-fuss solution for a wide variety of medical, projection and scientific illumination systems. Their proven reliability makes them ideal for retrofit installations. The burners are precisely aligned for optimal light performance. Dichroic reflectors ensure heat dissipation towards the back of the optical system, which helps the optical system remain within temperature limits. A special blue-filter version blocking out unwanted light above 700 nm is available for dental curing applications. In addition, you get all the proven advantages of halogen technology such as a CRI of 100 – the same as natural sunlight for the best possible color rendering. Halogen lamps also create a comfortable warm white light, and they maintain their high lumen output with almost no lumen reduction throughout their lifetime.

#### **Product data**

General Information	
Cap-Base	GX5.3 [GX5.3]
Operating Position	UNIVERSAL [Any or Universal (U)]
Life to 50% Failures (Nom)	1,000 hour(s)
Light Technical	
Correlated Color Temperature (Nom)	-
Color rendering index (CRI)	100
Operating and Electrical	
Power Consumption	50 W
Voltage (Nom)	13.8 V
Controls and Dimming	
Dimmable	Yes

Mechanical and Housing		
Bulb Material	Quartz-UV Open	
Reflector Finish	Smooth	
Bulb Shape	R50 [R 50mm]	
Product Data		
Full product code	871869669017800	
Order product name	13289 50W GX5.3 13.8V 1CT/24	
Order code	923931518205	
Numerator - Quantity Per Pack	1	
Numerator - Packs per outer box	24	

923931518205

8718696690185

8718696690178

13289 50W GX5.3 13.8V 1CT/24

Datasheet, 2023, October 5 data subject to change

Mechanical and Housing


Material Nr. (12NC)

Full product name EAN/UPC - Case

EAN/UPC - Product/Case

## Halogen reflector

### Dimensional drawing



Product	D (max)	C (max)
13289 50W GX5.3 13.8V 1CT/24	50 mm	46 mm

