

# 2820

ORIGINAL | Lamps with glass wedge bases



#### **Product benefits**

- Wide product range
- Reliable quality

#### **Product features**

- Original spare parts

#### Technical data

#### **Electrical data**

Power input	2.2 W	
Nominal voltage	12.0 V	
Nominal wattage	2.00 W	
Power input tolerance	±10 %	
Test voltage	13.5 V	

#### Photometrical data

Luminous flux	13.5 lm
Luminous flux tolerance	±25 %

# Dimensions & weight





IEC 7005-91 DIN 49642 T 4

Length	26.8 mm
Diameter	10.0 mm
Product weight	1.36 g

#### Lifespan

Lifespan B3	600 h
Lifespan Tc	4000 h

## Additional product data

Base (standard designation) W2.1x9.5d
---------------------------------------

#### Certificates & standards

## **Country specific categorizations**

Order reference	2820

# Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321094094	OSRA2820	-	4739280	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094094	2820	Unpacked 1	26 mm x 10 mm x 10 mm	0.00 dm <sup>3</sup>	5.33 g
4008321094100	2820	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	24.60 g
4008321094117	2820	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	152.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.