PHILIPS Lighting



G ^A

MASTER LEDspot ExpertColor MV

MAS LED ExpertColor 5.5-50W GU10 930 25D

MASTER LEDspot ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. They offer superior lighting that has a customized spectrum, high CRI, and deep dimming feature. What's more the innovative, trimless lens design will also suit almost any interior decor with its clean and neat look. In addition, with MASTER LEDspot ExpertColor you can take advantage of the full ExpertColor family, which also includes LEDspot MR16, LEDspot AR111 and LEDspot PAR lamps. MASTER LEDspot ExpertColor delivers huge energy savings and minimizes maintenance costs without any compromise on light quality and lifetime, enabling residential and business owners to achieve a return on their investment within a short time period.

Product data


| General Information | |
|----------------------------|--------------------|
| Cap-Base | GU10 [GU10] |
| Nominal lifetime | 40,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| Flux measurement reference | Narrow Cone |
| CE mark | Yes |
| EU RoHS compliant | Yes |
| | |
| Light Technical | |
| Color Code | 930 [CCT of 3000K] |
| Beam Angle (Nom) | 25 degree(s) |
| Luminous Flux | 375 lumen |
| Luminous Intensity (Nom) | 1,000 cd |
| Color Designation | White (WH) |

| Correlated Color Temperature (Nom) | 3000 K |
|---------------------------------------|-------------|
| Luminous Efficacy (rated) (Nom) | 68.00 lm/W |
| Color Consistency | <3 |
| Color rendering index (CRI) | 97 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Luminous Flux in 90° Cone (Rated) | 375 lumen |
| | |
| Operating and Electrical | |
| Line Frequency | 50 to 60 Hz |
| Input Frequency | 50 to 60 Hz |
| Power Consumption | 5.5 W |
| Lamp Current (Nom) | 30 mA |
| Wattage Equivalent | 50 W |
| Starting Time (Nom) | 0.5 s |
| Warm-up time to 60% light | 0.5 s |
| | |


MASTER LEDspot ExpertColor MV

| Power Factor (Fraction) | 0.8 | Energy Consumption kWh/1000 h | 6 kWh | |
|------------------------------|----------------------------|---------------------------------|------------------------------------------|--|
| Voltage (Nom) | 220-240 V | EPREL Registration Number | 391832 | |
| | | EyeComfort | Yes | |
| Temperature | | | | |
| T-Case Maximum (Nom) | 80 °C | Product Data | | |
| | | Full product code | 871869670763000 | |
| Controls and Dimming | | Order product name | MAS LED ExpertColor 5.5-50W GU10 930 25D | |
| Dimmable | Only with specific dimmers | Order code | 929001347102 | |
| | | Numerator - Quantity Per Pack | 1 | |
| Mechanical and Housing | | Numerator - Packs per outer box | 10 | |
| Bulb Finish | Clear | Material Nr. (12NC) | 929001347102 | |
| Bulb Shape | PAR16 [PAR 2 inch/50mm] | Full product name | MAS LED ExpertColor 5.5-50W GU10 930 25D | |
| | | EAN/UPC - Case | 8718696707647 | |
| Approval and Application | | EAN/UPC - Product/Case | 8718696707630 | |
| Energy Efficiency Class | G | | | |
| Suitable For Accent Lighting | Yes | | | |

Dimensional drawing




Photometric data



Accent Lighting Spots - MAS LED ExpertColor 5.5-50W GU10 930 25D


| Product | D | с |
|------------------------------------------|-------|-------|
| MAS LED ExpertColor 5.5-50W GU10 930 25D | 50 mm | 54 mm |



Spectral Power Distribution Colour - MAS LED ExpertColor 5.5-50W GU10 930 25D


MASTER LEDspot ExpertColor MV

Photometric data



Light Distribution Diagram - MAS LED ExpertColor 5.5-50W GU10 930 25D

Lifetime





 80
 70

 60
 70

 50
 10000

 20000
 30000

 40000
 50000

 60000

 Burning hours

Lumen Maintenance Diagram - MAS LED ExpertColor 5.5-50W GU10 930 25D



100

90

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.