

DULUX L BL UVA 55 W/78

OSRAM BLUE | Lamps



Areas of application

- Polymerization of blue-sensitive plastics, adhesives, paints and dyes (BLUE)
- Curing plastics (BLUE UVA)
- Sealing surfaces in dentistry (BLUE UVA)
- Cosmetic finger nail treatments (BLUE UVA)
- Insect traps (BLUE UVA)
- Exposure during printed circuit board manufacturing (BLUE UVA)
- Terrariums (BLUE UVA)
- Scientific investigations (BLUE UVA)
- Verification of banknotes and credit cards (using a black glass filter) (BLUE UVA)



Product datasheet

Technical data

Electrical data

Nominal wattage	55.00 W
-----------------	---------

Photometrical data

Radiated power 315...400 nm (UVA)	12.0 W
-----------------------------------	--------

Dimensions & weight

Diameter	18.0 mm
Length	533.0 mm

Additional product data

Base (standard designation)	2G11
-----------------------------	------

Country specific categorizations

Order reference	DUL L BL UVA 55
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321894618	DULUX L BL UVA 55 W/78	Folding carton box 1	46 mm x 26 mm x 565 mm	0.68 dm ³	187.00 g
4008321894625	DULUX L BL UVA 55 W/78	Shipping carton box 10	136 mm x 103 mm x 578 mm	8.10 dm ³	2003.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.