







LED T8 15k hrs Start Glass LED 8/T8 SGM 2ft/840/220-240V BX1/15

93068755



# **Product information**

The LED T8 Start Glass 15,000 hour range provides an attractive, entry-level alternative to standard Fluorescent T8 lamps. The innovative design delivers impressive light distribution and high efficiency, while at the same time ensuring rapid payback. Available in 60 and 120 cm lengths, the affordable LED T8 Start Glass brings the benefits of tubular LED lighting to a wider range of applications.

# ENERG Y IJA енергия · ενεργεία GE 33068755 Lighting 93068755 ENERG Y IJA eneprия · ενεργεία A++ A+ A+ A B C D E

### **Application areas**



Office



Hospitality



Industrial



Car park



# **Product data**

Product Code	93068755
Bulb Shape	T8
Bulb Finish	Diffuse
Regulatory comment	CE certified
Bulb maximum overall diameter [mm]	28
Nominal Length [mm]	600
Maximum Overall Length [mm]	604
Net weight per piece [g]	130
Gross weight per piece [g]	173
Operating position	Universal
Dimmability	No
RoHS compliant	Yes
Brand	General Electric (GE)
Cap/Base	G13

# Performance data

Nominal/ Rated Beam Angle (°)	200°
Colour Code	840
Colour consistency	<6 steps
Rated Lumens [lm]	800
Weighted energy consumption [kWh/1000h]	8
Rated efficacy [lm/W]	100
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15000
Power factor	>0,5
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [Im]	800
Colour Rendering Index (CRI) [Ra]	80





### **Electrical data**

Nominal lamp power factor	>0,5
Design Lamp ambient temperature [°C]	-20+40°C
Starting time (sec)	<0,5
Number of switching cycles	30000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	8

# Logistic data

DUN Code	10064894575164
EAN Code	0064894575167
Pack Quantity	15
Inner pack type	sleeve
Outer pack type	Bx
Layer quantity EUR	90
Layer quantity UK	105
Pallet quantity EUR (PC)	720
Pallet quantity UK (PC)	840
Outer case size	690x180x130mm
Product status	Available

### **Downloads & Links**

Go to the catalog site (HTTP)

Datasheet (PDF)

Installation guide (PDF)

Certificate for the Quality Management System of GE Lighting EMEA (PDF)

Certificate for the Environmental Management System of GE Lighting EMEA (PDF)