



**500**  
kWh/1000h

**E**  
energy class

**11**  
lumens/watt

## PAR 64

500PAR64/WFL 230V

93076719

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

## Application areas



Club and Disco



## Product data

Product Code	93076719
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	203.2
Maximum Overall Length [mm]	152.4
Net weight per piece [g]	1007
Gross weight per piece [g]	1009
Brand	GE Lighting
Cap/Base	GX16d

## Performance data

Nominal/ Rated Beam Angle [°]	30
Rated Lumens [lm]	3000
Weighted energy consumption [kWh/1000h]	500.0
Useful lumens (at 90° cone) [lm]	3000
Energy efficiency class (EEC)	E
Rated Life [h]	2000
Nominal correlated colour temperature (CCT) [K]	2700
Nominal lumens [lm]	5500

## Electrical data

Rated power [W]	500.0
Coil type	CC-13
Dimming Capability	Yes
Ballast Required	No
Nominal power [W]	500.0
Nominal lamp voltage [V]	230

## Logistic data

DUN Code	10064894582087
EAN Code	0064894582080
Pack Quantity	12
Layer quantity	108 UK
Layer quantity UK	108
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	108
Outer case size	170 x 174 x 171 (mm)
Product status	Available

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

## Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.