

# PRODUCT DATASHEET ST CLAS P 40 FR 5.7 W/2700 E27

# LED STAR CLASSIC P | LED lamps, classic mini-ball shape



#### AREAS OF APPLICATION

- Domestic applications
- General illumination
- Atmospheric accent lighting throughout the home
- Outdoor applications only in suitable luminaires

- Low energy consumption
- Easy replacement of classic lamps thanks to compact design
- Instant 100 % light, no warm-up time

#### **PRODUCT FEATURES**

- LED alternative to conventional lamps
- Mercury-free lamps



# **TECHNICAL DATA**

## Electrical data

Rated wattage	5.70 W
Nominal wattage	5.70 W
Nominal voltage	220240 V
Operating frequency	5060 Hz
Power factor λ	> 0.50
Claimed equiv. conventional lamp power	40 W


## Photometrical data

Rated luminous flux	470 lm
Rated color temperature	2700 К
Lumen main.fact.at end of nom.life time	0.70
Light color (designation)	Warm White
Color temperature	2700 К
Luminous flux	470 lm
Color rendering index Ra	≥80
Standard deviation of color matching	≤6 sdcm
Nominal luminous flux	470 lm
Color rendering index Ra	≥80

# Light technical data

Warm-up time (60 %)	< 0.50 s
Starting time	< 0.5 s

## Dimensions & weight



Overall length	86.0 mm
Diameter	45.0 mm
Outer bulb	P45

# PRODUCT DATASHEET

Length	86.0 mm
Temperatures & operating conditions	

Maximum temperature at tc test point	90 °C

# Lifespan

Nominal lamp life time	15000 h
Rated lamp life time	15000 h
Number of switching cycles	100000
Lumen maintenance at end of service life	0.70

# Additional product data

Base (standard designation)	E27		
Mercury-free	Yes		
Design / version	Frosted		
Show WEEE picto	Yes		
Product remark	All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value		
Mercury content	0.0 mg		

# Capabilities


Dimmable	No
Certificates & standards	

Energy efficiency class	A+
Energy efficiency class	A+
Energy consumption	6 kWh/1000h

# Country-specific categorizations

ILCOS	RBP/F-5,8-220-240-E27-43/89	
Order reference	LEDSCLP40 5W/82	

#### Light Distribution



#### Spectral power distribution

#### LOGISTICAL DATA

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899911949	ST CLAS P 40 FR 5.7 W/2700 E27	Shipping carton box 6	290 mm x 153 mm x 136 mm	6.03 dm <sup>3</sup>	667.00 g
4058075127975	ST CLAS P 40 FR 5.7 W/2700 E27	Shipping carton box 10	245 mm x 102 mm x 101 mm	2.52 dm³	443.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **REFERENCES / LINKS**

For further products and actual information concerning LED lamps see

www.ledvance.com/ledlamps

For Guarantee see

www.ledvance.com/guarantee

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.