

# XENARC ORIGINAL D3S

Four-year guarantee



## The original spare parts with four-year guarantee

XENARC ORIGINAL lamps impress with a wide product range and the reliable OEM quality. Successfully used in millions of new automobiles from renowned manufacturers, whether as standard initial equipment or original spare parts. With up to 4,500 Kelvin color temperature, their light is closer to natural daylight than conventional halogen light with 3,200 Kelvin – and is thus more pleasant for the eyes. Thanks to the impressive intensity of the light, the lamps provide better visibility on the road. The durable lamps function as original spare parts of your vehicle and convince with their long lifetime. OSRAM provides a 4-year-guarantee for XENARC ORIGINAL lamps. Please note: XENARC lamp change is recommended to be carried out by a professional.

Product datasheet

Technical data


Electrical data

Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	±3 %

Photometrical data

Luminous flux	3200 lm
Luminous flux tolerance	±15 %
Color temperature	4300 K

Dimensions & weight



Diameter	9 mm
Product weight	60.20 g
Length	83.2 mm

Lifespan

Lifespan B3	2000 h
Lifespan Tc	4000 h
Guarantee	4 years

Additional product data

Base (standard designation)	PK32d-5
-----------------------------	---------

Capabilities

Technology	HID
------------	-----

Certificates & standards

ECE category	D3S <sup>1)</sup>
Approval marks – approval	E1 approval

<sup>1)</sup> To be operated only with approved electronic control gear

Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321379627   4008321735201   4008321807649   4008321807663   4052899146365   4052899183650   4052899199569   4052899600485   4062172066754   4062172084574   4062172396837
Candidate List Substance 1	leadLead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	6ee45626-045c-415b-b12b-09cf7da79801   af212de5-b2c7-404c-acbe-c2ccabb83891   4ba45c38-8f60-4555-8439-6505375ae44e   f38b470a-745a-439d-9286-890bc1f75779   8b6f0291-a6c0-4867-8df0-c00e69eb2091   6e275300-8ea9-4bd5-bf1a-aa729070f942   b5de96fe-db0e-4cfb-9cd6-b43b44e32863   0a4d97a8-a9fd-4b6e-82eb-08e719745496   49060069-850f-4c78-a673-69f4a461d650

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899199569	XENARC ORIGINAL D3S	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm <sup>3</sup>	83.00 g
4052899262386	XENARC ORIGINAL D3S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm <sup>3</sup>	353.00 g
4052899344495	XENARC ORIGINAL D3S	Shipping carton box 48	371 mm x 256 mm x 232 mm	22.03 dm <sup>3</sup>	4533.00 g
4052899600485	XENARC ORIGINAL D3S	SCB 1	95 mm x 51 mm x 112 mm	0.54 dm <sup>3</sup>	84.00 g
4052899600492	XENARC ORIGINAL D3S	Shipping carton box 4	216 mm x 106 mm x 150 mm	3.43 dm <sup>3</sup>	410.00 g
4062172030885	XENARC ORIGINAL D3S	Shipping carton box 20	371 mm x 256 mm x 232 mm	22.03 dm <sup>3</sup>	2324.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	360 Degree Image XENARC ORIGINAL D3S 66340

Safety advice

XENARC lamp change is recommended to be carried out by a professional.

References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM