# PRODUCT DATASHEET SMART+ Filament WiFi Classic Edison 60 5,5W E27

SMART+ Filament Edison Dimmable | Edison bulb shape with filament-style with WiFi technology



## Areas of application

- General illumination
- Residential interiors
- Professional (hotels, bars, boutiques etc.)
- Outdoor applications only in suitable luminaires

### **Product benefits**

- Wireless control via app
- Easy to install and use
- Contains no mercury

#### **Product features**

- Controllable via LEDVANCE SMART+ WiFi App (with minimum Android 4.4 or iOS 9.0)
- Controllable via Google Assistant and Amazon Alexa possible
- Network protocol: WiFi
- Dimmable
- Lifetime: up to 15,000 h



## **TECHNICAL DATA**

## Electrical data

Nominal wattage	5.5 W
Nominal voltage	220240 V
Nominal current	45 mA
Operating frequency	5060 Hz / 50
Mains frequency	5060 Hz
Power factor λ	> 0,50
Claimed equiv. conventional lamp power	60 W


## Photometrical data

Light color (designation)	Warm White
Lumen main.fact.at end of nom.li	0.70
Standard deviation of color matching	≤6 sdcm
Nominal luminous flux	806 lm
Luminous flux	806 lm
Luminous efficacy	146 lm/W
Color temperature	2700 K
Color rendering index Ra	≥80

# Light technical data

Beam angle	300 °
Starting time	< 0.5 s
Warm-up time (60 %)	< 0.50 s

# Dimensions & weight



Product weight	46.000 g
Diameter	64.00 mm
Maximum diameter	46 mm
Length	143.00 mm
Outer bulb [PICOS]	ST64

## Lifespan

Number of switching cycles	100000
Nominal lamp life time	15000 h

## Temperatures & operating conditions

Aı	mbient temperature range	-20+40 °C

## Additional product data

Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value
Base (standard designation)	E27

## **Capabilities**

Dr. III	
Dimmable	Yes

## Certificates & standards

Energy efficiency class	A++ 1)
Energy consumption	6.00 kWh/1000h
Standards	CE
Type of protection	IP20

<sup>1)</sup> Energy efficiency class (EEC) on a scale of A++ (highest efficiency) to E (lowest efficiency)

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075528277	Folding box 1	111 mm x 114 mm x 169 mm	121.00 g	2.14 dm <sup>3</sup>
4058075528284	Shipping box 4	243 mm x 238 mm x 185 mm	645.00 g	10.70 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.