


# PRODUCT DATASHEET

## ORBIS SPARKLEDOT CLICK SENSOR 340 24W

ORBIS CLICK SENSOR | Luminaires activated by sensor mode or conventional wall switch



---

### Areas of application

- Corridors, entrance areas

---

### Product benefits

- Easy and quick installation

---

### Product features

- Luminaires activated by sensor mode or conventional wall switch
- Operating mode easily changed by three clicks of wall switch
- Motion sensor (microwave technology) with adjustable detection parameters



## TECHNICAL DATA

### Electrical data

Nominal wattage	24.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Power factor $\lambda$	> 0,70

### Luminaire sensor data

Type of sensor	Light / Motion
Sensor technology	Microwave
Sensor controlled switching time	5 s...30 min
Detection range of motion sensor	2...6 m
Detection threshold of daylight sensor	2...50 lx


### Photometrical data

Color temperature	3000 K
Luminous flux	1680 lm
Luminous efficacy	70 lm/W
Light color	Warm White
Standard deviation of color matching	< 6 sdcm
Color rendering index Ra	> 80

### Light technical data

Beam angle	120 °
------------	-------

### Dimensions & weight



Diameter	340.00 mm
Height	80.00 mm

Product weight	503.00 g
----------------	----------

### Colors & materials

Body material	Steel
Product color	White
Housing color	White
Cover material	Polymethylmethacrylate (PMMA)

### Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

### Lifespan

Number of switching cycles	15000
Lifespan L70/B50 at 25 °C	30000 h
Lifespan L90/B10 at 25 °C	-

### Additional product data

Mounting type	Surface
Mounting location	Ceiling

### Capabilities

Dimmable	No
Type of connection	Push button terminal, 2-pole
LEDmod replaceable	Not replaceable

### Certificates & standards

Protection class	II
Type of protection	IP20
Standards	CE / EAC / REACH / RoHS

---

## EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included

---

## DOWNLOAD DATA

#### DOWNLOAD DATA



User instruction  
ORBIS



Tender documents  
Tender Text 4058075472877



Packaging insert  
Legal insert

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075472877	Folding box 1	367 mm x 92 mm x 367 mm	758.00 g	12.39 dm <sup>3</sup>
4058075472884	Shipping box 5	482 mm x 382 mm x 390 mm	4843.00 g	71.81 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.