

# PRODUCT DATASHEET

## ENDURA STYLE EDGE Wall updown 7W

ENDURA STYLE EDGE | Stainless steel wall luminaire with light outlet up and down



## TECHNICAL DATA


### Electrical data

Nominal wattage	7.00 W
Operating mode	Mains voltage
Nominal voltage	220...240 V
Power factor $\lambda$	> 0,5

### Photometrical data

Color temperature	3000 K
Luminous flux	360 lm
Luminous efficacy	51 lm/W
Light color	Warm White
Standard deviation of color matching	< 6 sdc <sub>m</sub>
Color rendering index Ra	≥80

### Dimensions & weight



Length	110.00 mm
Height	260.00 mm
Width	120.00 mm
Product weight	870.00 g

### Colors & materials

Body material	Stainless steel
Product color	Steel
Housing color	Steel
Cover material	Polycarbonate (PC)

### Temperatures & operating conditions



Ambient temperature range	-20...+40 °C
---------------------------	--------------

### Lifespan

Number of switching cycles	12500
Lifespan L70/B50 at 25 °C	25000 h

### Additional product data

Mounting type	Surface
Mounting location	Wall



### Capabilities

Dimmable	No
Type of connection	Terminal, 3-Pole (L, N, PE)
LEDmod replaceable	Not replaceable

### Certificates & standards

Protection class	I
Type of protection	IP44
Standards	CE / EAC / REACH / RoHS

### DOWNLOAD DATA

DOWNLOAD DATA	
	User instruction ENDURA STYLE EDGE WALL UPDOWN
	Tender documents Tender Text 4058075478091

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075478091	Folding box 1	127 mm x 127 mm x 264 mm	956.00 g	4.26 dm <sup>3</sup>
4058075478107	Shipping box 4	268 mm x 268 mm x 289 mm	4265.00 g	20.76 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

