

PRODUCT DATASHEET ENDURA CLASSIC Lantern Cylinder E27 BK

ENDURA® CLASSIC LANTERN CYLINDER | Wall luminaire, cylindrical shaped with glass diffuser



Areas of application

- Entrance lighting
- Patios, balconies

Product benefits

- High flexibility in the choice of the light source thanks to E27 base
- Suitable for smart applications thanks to compatibility with Smart + lamps from LEDVANCE
- Easy and quick installation

Product features

- Diffuser made of frosted glass
- Die-cast aluminum housing
- Type of protection: IP43




TECHNICAL DATA

Electrical data

Operating mode	Mains voltage
Nominal voltage	220240 V

Dimensions & weight



Diameter	118.0 mm
Length	210.00 mm
Height	212.00 mm
Width	118.00 mm
Product weight	1200.00 g

Colors & materials

Body material	Aluminum
Product color	Black
Housing color	Black
Cover material	Glass

Temperatures & operating conditions

Ambient temperature range	-20+40 °C
---------------------------	-----------

Additional product data

Mounting type	Surface
Mounting location	Wall
With light source	No
Product remark	Maximum bulb wattage: 60 W

Capabilities

-		
	Dimmable	No

Type of connection	Screw terminal
Holder designation	E27

Certificates & standards

Protection class	1
Type of protection	IP43
Standards	CE / EAC / REACH / RoHS

LOGISTICAL DATA

_	
Temperature range at storage	-20+40 °C

EQUIPMENT / ACCESSORIES

- Complete mounting and connecting accessories included
- No light sources included

DOWNLOAD DATA

	DOWNLOAD DATA
POF	User instruction ENDURA CLASSIC LANTERN CYLINDER
	Tender documents Tender Text 4058075392663

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075392663	Folding box 1	242 mm x 152 mm x 243 mm	1375.00 g	8.94 dm ³
4058075392670	Shipping box 4	506 mm x 324 mm x 273 mm	6250.00 g	44.76 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.