



# MASTER Value Glass LED bulbs



### MAS VLE LEDBulbD3.4-40W E27 927 A60 CL G

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

#### Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	927 [CCT of 2700K]
Luminous Flux	470 lumen
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	138.00 lm/W
Color Consistency	<6

Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM)	1
Stroboscopic effect value (SVM)	0.4
Photobiological safety according to EN 6247	1 RG0
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	3.4 W
Lamp Current (Nom)	20 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7


Datasheet, 2023, October 10 data subject to change

# **MASTER Value Glass LED bulbs**

Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	80 °C	
Controls and Dimming		
Dimmable	Only with specific dimmers	
Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	A60 [A 60mm]	
Approval and Application		
Energy Efficiency Class	D	
Energy Consumption kWh/1000 h	4 kWh	
EPREL Registration Number	574383	


EyeComfort	Yes
Product Data	
Full product code	871951435481400
Order product name	MAS VLE LEDBulbD3.4-40W E27 927
	A60 CL G
Order code	929003070502
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929003070502
Full product name	MAS VLE LEDBulbD3.4-40W E27 927
	A60 CL G
EAN/UPC - Case	8719514354821
EAN/UPC - Product/Case	8719514354814


# Dimensional drawing




Product	D	С
MAS VLE LEDBulbD3.4-40W E27 927 A60 CL G	60 mm	104 mm

## Photometric data








General uniform lighting - MAS VLE LEDBulbD3.4-40W E27 927 A60 CL G


# **MASTER Value Glass LED bulbs**

#### Photometric data



Spectral Power Distribution Colour - MAS VLE LEDBulbD3.4-40W E27 927 A60 CL  $\,\mathrm{G}$ 

#### Lifetime



Life Expectancy Diagram - MAS VLE LEDBulbD3.4-40W E27 927 A60 CL G

Lumen Maintenance Diagram - MAS VLE LEDBulbD3.4-40W E27 927 A60 CL G



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.