



# CorePro GLASS LED candles and lustres



### CorePro LEDLuster ND 2.2-25W P45 E27 FRG

Featuring a classic heritage design, these filament LED candles combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb is a very easy choice for people who are looking for a retrofit LED replacement, it provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

#### **Product data**

General Information	
Cap base	E27 [ E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
	Sphere
Light Technical	
Colour Code	827 [ CCT of 2,700 K]
Luminous flux (nom.)	250 lm
Colour designation	Warm white (WW)
Correlated Colour Temperature (Nom)	2700 K
Luminous efficacy (rated) (nom.)	113.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	2.2 W
Lamp current (nom.)	21 mA
Wattage equivalent	25 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.4
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	36 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted


Datasheet, 2022, January 13 data subject to change

# CorePro GLASS LED candles and lustres

Bulb shape	P45 [ P 45mm]
Approval and Application	
Energy Efficiency Class	E
Energy consumption kWh/1,000 hours	3 kWh
	387385
Product Data	
Full product code	871951434683300

Order product name	CorePro LEDLuster ND 2.2-25W P45 E27 FRG
EAN/UPC – product	8719514346833
Order code	34683300
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001345692
SAP net weight (piece)	0.012 kg


# Dimensional drawing




CorePro LEDLuster ND 2.2-25W P45 E27 FRG

# Product D C CorePro LEDLuster ND 2.2-25W P45 E27 FRG 45 mm 78 mm

### Photometric data




LEDbulb, Bulb A21 14W, 18W 2200-2700K



LEDbulb 25W E27 827 FR P45


# CorePro GLASS LED candles and lustres


### Photometric data



LEDbulb 25W E14 827 FR B35

### Lifetime





LEDbulb 25W E14 827 FR B35

LEDbulb 25W E14 827 FR B35



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.