PHILIPS Lighting



Master Value Decorative LED candles and lusters

MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G

The new Deco collection (candles and lusters) transforms your home with a perfect blend of (warm) white light and a lean, minimalistic lighting experience. With very long lifetime, up to 90% energy savings, no flickering and an instant full level brightness, you will also enjoy soft and evenly distributed light with that trendy and stylish charm for a welcoming harmony in your space.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	818 [CCT of 1800K]
Luminous Flux	136 lumen
Color Designation	1800
Correlated Color Temperature (Nom)	1800 K
Luminous Efficacy (rated) (Nom)	52 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Flickering value (PstLM)	1	
Stroboscopic effect value (SVM)	0.4	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	2.6 W	
Lamp Current (Nom)	14 mA	
Wattage Equivalent	15 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (Nom)	220-240 V	
Temperature		
Ambient temperature range	-20 to +45 °C	

Master Value Decorative LED candles and lusters

T-Case Maximum (Nom)	38 ℃
. ,	
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Amber
Bulb Material	Glass
Bulb Shape	P45 [P 45mm]
Approval and Application	
Energy Consumption kWh/1000 h	3 kWh
EyeComfort	Yes


Product Data	
Full product code	871951431607200
Order product name	MAS VLE LEDBulbD 2.6-15W E27
	GOLDP45SP G
Order code	929002983402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002983402
Full product name	MAS VLE LEDBulbD 2.6-15W E27
	GOLDP45SP G
EAN/UPC - Case	8719514316089
EAN/UPC - Product/Case	8719514316072


Dimensional drawing



ProductDCMAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G46 mm80 mm

Photometric data






Light Distribution Diagram - MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G

General uniform lighting - MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G


Master Value Decorative LED candles and lusters



Spectral Power Distribution Colour - MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G

Lifetime

Photometric data



Life Expectancy Diagram - MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G

Lumen Maintenance Diagram - MAS VLE LEDBulbD 2.6-15W E27 GOLDP45SP G



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, October 10 - data subject to change