



# CorePro GLASS LED candles and lustres



## CorePro LEDLusterND4.3-40W E14 827P45FRG

Featuring a classic heritage design, these filament LED candles combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb is a very easy choice for people who are looking for a retrofit LED replacement, it provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

### Product data


General Information		Operating and Electrical	
Cap base	E14 [ E14]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	4.3 W
Nominal lifetime (nom.)	15000 h	Lamp current (nom.)	35 mA
Switching cycle	20,000X	Wattage equivalent	40 W
	Sphere	Starting time (nom.)	0.5 s
		Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.5
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [ CCT of 2,700 K]	T-Case maximum (nom.)	55 °C
Luminous flux (nom.)	470 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No
Luminous efficacy (rated) (nom.)	109.00 lm/W		
Colour consistency	<6	Mechanical and Housing	
Colour rendering index (nom.)	80	Lamp Finish	Frosted
LLMF at end of nominal lifetime (nom.)	70 %		

CorePro GLASS LED candles and lustres

Bulb shape	P45 [ P 45mm]
Approval and Application	
Energy Efficiency Class	F
Energy consumption kWh/1,000 hours	5 kWh
	387384
Product Data	
Full product code	871951434720500

Order product name	CorePro LEDLusterND4.3-40W E14 827P45FRG
EAN/UPC – product	8719514347205
Order code	34720500
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001345592
SAP net weight (piece)	0.014 kg


Dimensional drawing




Product	D	C
CorePro LEDLusterND4.3-40W E14 827P45FRG	45 mm	80 mm

CorePro LEDLusterND4.3-40W E14 827P45FRG

Photometric data




LEDbulb, Bulb A21 14W, 18W 2200-2700K



LEDbulb 40W E14 827 FR P45


CorePro GLASS LED candles and lustres

Photometric data




LEDbulb 40W E14 827 FR B35

Lifetime



LEDbulb 40W E14 827 FR B35



LEDbulb 25W E14 827 FR B35

