



CorePro GLASS LED candles and lustres



CorePro LEDLusterND6.5-60W P45 E27827FRG

Featuring a classic heritage design, these filament LED candles combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb is a very easy choice for people who are looking for a retrofit LED replacement, it provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data


General Information		Operating and Electrical	
Cap base	E27 [E27]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	6.5 W
Nominal lifetime (nom.)	15000 h	Lamp current (nom.)	50 mA
Switching cycle	20,000X	Wattage equivalent	60 W
	Sphere	Starting time (nom.)	0.5 s
		Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.55
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	55 °C
Luminous flux (nom.)	806 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No
Luminous efficacy (rated) (nom.)	124.00 lm/W		
Colour consistency	<6	Mechanical and Housing	
Colour rendering index (nom.)	80	Lamp Finish	Frosted
LLMF at end of nominal lifetime (nom.)	70 %		

CorePro GLASS LED candles and lustres

Bulb shape	P45 [P 45mm]
Approval and Application	
Energy Efficiency Class	E
Energy consumption kWh/1,000 hours	7 kWh
	387452
Product Data	
Full product code	871951434768700

Order product name	CorePro LEDLusterND6.5-60W P45 E27827FRG
EAN/UPC – product	8719514347687
Order code	34768700
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929002029292
SAP net weight (piece)	0.012 kg


Dimensional drawing




CorePro LEDLusterND6.5-60W P45 E27827FRG

Product	D	C
CorePro LEDLusterND6.5-60W P45 E27827FRG	45 mm	78 mm

Photometric data




LEDluster E27 P45 827 FR



LEDbulb 6,5-60W E14 B35


CorePro GLASS LED candles and lustres

Photometric data




LEDbulb 6,5-60W E14 P45

Lifetime



LEDbulb 6,5-60W E14 B35



LEDbulb 6,5-60W E14 B35

