



CorePro GLASS LED candles and lustres



CorePro LEDCandleND2-25W E14BA35 827CL G

Featuring a classic heritage design, these filament LED candles combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. The LED candle bulb is a very easy choice for people who are looking for a retrofit LED replacement, it provides 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light for stairway lighting. The LED candle bulb offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information		Operating and Electrical	
Cap base	E14 [E14]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	2 W
Nominal lifetime (nom.)	15000 h	Lamp current (nom.)	20 mA
Switching cycle	20,000X	Wattage equivalent	25 W
Technical type	2-25W	Starting time (nom.)	0.5 s
	Sphere	Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.4
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	827 [CCT of 2,700 K]	T-Case maximum (nom.)	36 °C
Luminous flux (nom.)	250 lm		
Colour designation	Warm white (WW)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2700 K	Dimmable	No
Luminous efficacy (rated) (nom.)	125.00 lm/W		
Colour consistency	<6	Mechanical and Housing	
Colour rendering index (nom.)	80	Lamp Finish	Clear
LLMF at end of nominal lifetime (nom.)	70 %		

CorePro GLASS LED candles and lustres

Bulb shape	BA35
Approval and Application	
Energy Efficiency Class	E
Energy-saving product	Yes
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	2 kWh
	387361
Product Data	
Full product code	871951437759200

Order product name	CorePro LEDCandleND2-25W E14BA35 827CL G
EAN/UPC – product	8719514377592
Order code	37759200
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929001238492
SAP net weight (piece)	0.014 kg


Dimensional drawing




Product	D	C
CorePro LEDCandleND2-25W E14BA35 827CL G	35 mm	123 mm

CorePro LEDCandleND2-25W E14BA35 827CL G

Photometric data




LED Lamps,Lightcolour /827 ND CL



Classic LEDCandle ND 2-25W BA35 827 CL


CorePro GLASS LED candles and lustres

Photometric data




Classic LEDCandle ND 2-25W BA35 827 CL

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

