



MASTER Glass LED bulbs

MAS LEDBulb DT5.9-60W E27 927 A60 FR G

Featuring a classic heritage design, these filament MASTER glass bulbs combine the familiar shapes of incandescent glass LED bulbs with the benefits of long-lasting LED technology. Ideal for creating a cosy atmosphere for customers, these glass LED bulbs provide excellent quality of light. MASTER glass bulbs can be dimmed for different lumen levels and colour temperatures (dimmable glass led bulbs). They also deliver significant energy savings, using 30% less energy compared to normal LED bulbs. By offering a lifetime of 25,000 hours, these dimmable glass LED bulbs also reduce maintenance costs.

Product data


General Information		Operating and Electrical	
Cap base	E27 [E27]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	5.9 W
Nominal lifetime (nom.)	25000 h	Lamp current (nom.)	40 mA
Switching cycle	20,000X	Wattage equivalent	60 W
	Sphere	Starting time (nom.)	0.5 s
		Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.6
		Voltage (Nom)	220-240 V
Light Technical		Temperature	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]	T-Case maximum (nom.)	70 °C
Luminous flux (nom.)	806 lm		
Colour designation	Warm Glow (WG)	Controls and Dimming	
Correlated Colour Temperature (Nom)	2200 2700 K	Dimmable	Only with specific dimmers
Luminous efficacy (rated) (nom.)	136.00 lm/W		
Colour consistency	<6		
Colour rendering index (nom.)	90		
LLMF at end of nominal lifetime (nom.)	70 %		

MASTER Glass LED bulbs

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]
Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	6 kWh
	453247
Product Data	
Full product code	871951432475600

Order product name	MAS LEDBulb DT5.9-60W E27 927 A60 FR G
EAN/UPC – product	8719514324756
Order code	32475600
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003010402
SAP net weight (piece)	0.030 kg


Dimensional drawing




MAS LEDBulb DT5.9-60W E27 927 A60 FR G

Product	D	C
MAS LEDBulb DT5.9-60W E27 927 A60 FR G	60 mm	104 mm

Photometric data




LEDbulb MAS SLR 5,9W A60 E27 927 CL-POC



LEDbulb MAS SLR 5,9W A60 E27 927 FR-GUL


MASTER Glass LED bulbs

Photometric data




LEDbulb MAS SLR A60 5,9W E27 927 FR-LDD

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

