



# Maxos fusion

## LL523T 4x2.5 +8x1.5 Gen2 SI

### Maxos fusion Rail

Maxos fusion is an adaptable LED trunking system that offers an excellent quality of light while more than halving energy costs compared to fluorescent lamps. For retail applications, a family of linear panels, non-linear modules and a spot portfolio can be smoothly integrated into the track backbone to let your merchandise sparkle and stand out. For industrial applications, the focus is on reducing installation and maintenance cost by using fewer linear panels. With the electrical set-up of up to 13 wires, the freedom to position these fixtures as required and the integration of other services/third-party hardware, the system allows you to reduce ceiling clutter. It can also be easily re-configured to accommodate future lay-out changes. The infrastructure is enabled to integrate sensors for data collection, giving you the opportunity to use insightful granular information to support your business.

### Product data

Operating and Electrical		Overall height		42 mm
Line Frequency	50 to 60 Hz	Dimensions (Height x Width x Depth)		42 x 62 x 2276 mm
Input Voltage	220 to 240 V	Material		Steel
General Information		Approval and Application		
CE mark	CE mark	Ingress protection code		IP20 [Finger-protected]
Angle	-	Mech. impact protection code		IK02 [0.2 J standard]
Accessory color	Silver	Protection class IEC		Safety class I
Product family code	LL523T [Maxos fusion Rail]	Product Data		
Value ladder	Specification	Full product code		872016942525599
Mechanical and Housing		Order product name		LL523T 4x2.5 +8x1.5 Gen2 SI
Overall length	2,276 mm	Order code		910925869420
Overall width	62 mm	Numerator - Quantity Per Pack		1

Maxos fusion

Numerator - Packs per outer box	10
Material Nr. (12NC)	910925869420
Full product name	LL523T 4x2.5 +8x1.5 Gen2 SI

EAN/UPC - Case	8719514772106
----------------	---------------

Dimensional drawing

