



Corepro - LED HID HPL



TForce Core LED HPL 13W E27 827 FR

Philips TrueForce Core LED HPL lamps are an easy, LED solution with a short payback to replace High Intensity Discharge (HID) lamps. This new generation of LED Core Post-Top lamps brings all the energy-efficiency and long-lifetime benefits of LED to HID replacement, while delivering instant saving for a low initial investment. Furthermore, TrueForce CorePro LED HPL lamps are designed to have the same lamp size and light distribution as their HID alternatives. And thanks to our high-power LED filament technology, you'll never know the difference. Plus, their unique IP65 design means that TrueForce Core LED HPL Post-Top lamps can be used for outdoor, as well as indoor applications.

Warnings and Safety

• Installation should always be performed by a qualified electrician or installer. Use the installation guide for instructions.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	25,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	330 degree(s)
Luminous Flux	1,800 lumen

Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	138 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM)	1
Stroboscopic effect value (SVM)	3.3
Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power Consumption	13 W


Datasheet, 2023, September 26 data subject to change

Corepro - LED HID HPL

Lamp Current (Nom)	120 mA
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
Ambient temperature range	-20 to +45 °C
T-Case Maximum (Nom)	42 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	ED75 [ED 75mm]
	-


Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	13 kWh
EPREL Registration Number	1617388
Product Data	
Full product code	872016926777000
Order product name	TForce Core LED HPL 13W E27 827 FR
Order code	929003731102
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929003731102
Full product name	TForce Core LED HPL 13W E27 827 FR
EAN/UPC - Case	8720169267787
EAN/UPC - Product/Case	8720169267770

Dimensional drawing




Product	D	С
TForce Core LED HPL 13W E27 827 FR	76 mm	183 mm

Photometric data




Light Distribution Diagram - TForce Core LED HPL 13W E27 827 FR



Spectral Power Distribution Colour - TForce Core LED HPL 13W E27 827 FR

Corepro - LED HID HPL


Photometric data




Calculus Photometric 4.5 Philips Lighting B.V. Page: 51

General uniform lighting - TForce Core LED HPL 13W E27 827 FR

Lifetime





Life Expectancy Diagram - TForce Core LED HPL 13W E27 827 FR

Lumen Maintenance Diagram - TForce Core LED HPL 13W E27 827 FR



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.