



CorePro LEDspot MV



CorePro LEDspot 4.6-50W GU10 827 36D 5CT

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	355 lumen
Luminous Intensity (Nom)	700 cd
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	77.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	355 lumen
Flickering value (PstLM)	1
Stroboscopic effect value (SVM)	0.4

Photobiological safety according to EN	62471 RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	4.6 W
Lamp Current (Nom)	39 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	72 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	PAR16 [PAR 2 inch/50mm]


Datasheet, 2023, August 16 data subject to change

CorePro LEDspot MV

Approval and Application	
Energy Efficiency Class	F
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	387358
EyeComfort	Yes
Product Data	
Full product code	871869970029400
Order product name	CorePro LEDspot 4.6-50W GU10 827 36D
	5CT


Order code	929001215252
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001215252
Full product name	CorePro LEDspot 4.6-50W GU10 827 36D
	5CT
EAN/UPC - Case	8718699700300
EAN/UPC - Product/Case	8718699700294

Dimensional drawing



Product	D	С
CorePro LEDspot 4.6-50W GU10 827 36D 5CT	50 mm	54 mm

Photometric data






Spectral Power Distribution Colour - CorePro LEDspot 4.6-50W GU10 827 36D 5CT

General uniform lighting - CorePro LEDspot 4.6-50W GU10 827 36D 5CT


CorePro LEDspot MV


Photometric data



Light Distribution Diagram - CorePro LEDspot 4.6-50W GU10 827 36D 5CT

Lifetime





Life Expectancy Diagram - CorePro LEDspot 4.6-50W GU10 827 36D 5CT

Lumen Maintenance Diagram - CorePro LEDspot 4.6-50W GU10 827 36D 5CT



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.