

© 2024 Signify Holding.
All rights reserved. This document contains information relating to the product portfolio of Signify which information may be subject to change. No representation or warranty as to the accuracy or completeness of the information included herein is given and any liability for any action in reliance thereon is disclaimed. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.. All other trademarks are owned by Signify Holding or their respective owners.



Signify Holding.
The Netherlands





PHILIPS

CoreLine Panel

RC133V




	Lumen(lm)	CCT(K)	P(W)	IP	IK	L×W×H1/H2(mm)	kg
RC133V G6 36S/840 PSU W62L62 NOC	3600	4000	26.00	IP40/IP20	IK02	620x620x34/59	1.80
RC133V G6 36S/840 PSU W62L62 OC	3600	4000	26.00	IP40/IP20	IK02	620x620x35/60	2.20
RC133V G6 36S/840 PSD W62L62 OC	3600	4000	26.00	IP40/IP20	IK02	620x620x35/60	2.00
RC133V G6 29_36_43S/830_40 PSU W62L62 OC	2900/*3600/4300	3000/3500/*4000	22/*26/31	IP40/IP20	IK02	620x620x35/60	2.10
RC133V G6 29_36_43S/830_40 PSD W62L62 OC	2900/*3600/4300	3000/3500/*4000	22/*26/31	IP40/IP20	IK02	620x620x35/60	2.10
RC133V G6 36S/840 WIA W62L62 OC	3600	4000	26.00	IP40/IP20	IK02	620x620x35/70	2.15
* Default setting							




Available as accessory (Need to purchase separately)


Suspension set:
911401809387
RC159Z Suspension set SME-4 WH
911401809487
RC159Z Suspension set SME-3 WH




Surface mounted set:
911401807887
RC159Z SMB W62L62



Plaster ceiling set:
911401809287
RC159Z Plaster Ceiling
SMB-PLC





Safety cable:
911401809187
RC159Z Safety Cable






Quick-connectors





VPC Visible Profile Ceiling/ Lay-In mounting

Optional with
911401809187 RC159Z Safety Cable



Safety cable

2





PCV plaster ceiling version (IK02)

Optional with
911401809287 RC159Z Plaster Ceiling SMB-PLC


	A (mm)	B (mm)
W62L62	580	580

1



Install safety cable
(Optional)


2





Surface mounted

Optional with
911401807887:RC159Z SMB W62L62




Suspension


Optional with
911401809387 RC159Z Suspension set SME-4 WH
911401809487 RC159Z Suspension set SME-3 WH

PSU/ WIA

911401809487
RC159Z Suspension set SME-3 WH




1a




PSD



911401809387
RC159Z Suspension set SME-4 WH




1b




PSD Touch & Dim






2




3





Inrush current



	PSU		PSD		WIA
	26W	31W	26W	31W	31W
Electrical characteristics					
I _{max} (A)	16	20	25.2	26	4.8
T _{ref} (us)	200	220	260	260	56
MCB	No. of luminaires max.				
B-10 A	18	13	9	8	32
B-16A	30	21	17	15	50
C-10 A	32	23	17	15	52
C-16A	51	37	29	28	85