

Grolux T8

F15W/GRO

0000069



Range Features

- High level of blue and red radiation helps promote healthy plant growth
- Strengthens the natural colours of aquatic plants and fish in aquariums
- Promotes the process of photo-synthesis in plants
- Oldest, but most optimal light colour for plants and aquaria
- Applications
- For lighting of fresh water aquariums
- Complete or additional artificial lighting of plants
- Recommended for use in greenhouses, indoor gardens, flower shows and conservatories



PRODUCT OVERVIEW

Lampenoberfläche	Coated
Lampenform	Tubular
Dimmbar	Yes
EAN-Code	5410288000695
Verschluss/Socket	G13
Typ	GroLux
Watt (Nennleistung) (W)	15
Bestellnummer	0000069
Technologie	Fluorescent
Spannung (V)	55

DATENTABELLE

Allgemeine Daten

Mittlere Lebensdauer (Nennwert) (h)	10000
Betriebsgerät erforderlich	Yes
Lampenoberfläche	Coated
Lampenform	Tubular
Dimmbar	Yes
EAN-Code	5410288000695
Leuchtennennwert	Open
Allgemeiner Einsatz	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer
IEC-Referenz	Special lighting
IEC-Referenz 2	IEC 61195
Einsatzzweck	Special lighting
Verschluss/Socket	G13

Grolux T8

F15W/GRO

0000069

Quecksilbergehalt der Lampe (mg)	10
Typ	GroLux
Bestellnummer	0000069
Lange Bezeichnung	High level of blue and red radiation helps promote healthy plant growth Strengthens the natural colours of aquatic plants and fish in aquariums Promotes the process of photo-synthesis in plants Oldest, but most optimal light colour for plants and aquaria Applications For lighting of fresh water aquariums Complete or additional artificial lighting of plants Recommended for use in greenhouses, indoor gardens, flower shows and conservatories
Produktname	F15W/GRO
Lampen für spezielle Einsatzbereiche	Yes
Technologie	Fluorescent
Transformator erforderlich	No
Menge/Verpackungseinheit	25
E-Nummer SE	8356669
E-Nummer FI	4943106

Elektrische Daten

Stromstärke (A)	0.31
Watt (Nennleistung) (W)	15
Watt (Nennwert) (W)	15
Spannung (V)	55

Physikalische Daten

Lampendurchmesser (mm) – D	26
Lampenlänge (mm) – C/L	451.6
Länge Basis zu Basis (mm) – A	437.4
Länge Basis zu Pin (Min-Max) – B	442.1-444.5
Verpackungsbezeichnung	Box/Sleeve
Gewicht (kg)	0.06
Outer package dimensions (L x W x H) (cm)	48.00 x 15.50 x 15.00
Single package dimensions (L x W x H) (cm)	45.20 x 2.90 x 2.80

TECHNISCHE ZEICHNUNGEN

Grolux T8

F15W/GRO

0000069

