

Reptistar T8


F15W/Reptistar UV-B 5% Retail

0000731



Range Features

- Promotes vitamin D3 production which aids good health, growth and the general well-being of reptiles in terrariums through a high content of UVB (up to 5%) and UVA (up to 30%)
- This full spectrum (6500 K) lamp improves the natural appearance of reptiles
- Shows reptiles in their true colours
- Applications
- For the artificial lighting of reptiles in terrariums
- Directions for use
- This lamp emits UV-radiation. Avoid exposure to skin and eyes



PRODUCT OVERVIEW

Lampenoberfläche	Coated
Lampenform	Tubular
Farbtemperatur (K)	6500
Dimmbar	Yes
EAN-Code	5410288007311
Verschluss/Socket	G13
Typ	ReptiStar
Watt (Nennleistung) (W)	15
Bestellnummer	0000731
Nutzbarer Lichtstrom (Nennwert) (lm)	300
Technologie	Fluorescent
Spannung (V)	55

DATENTABELLE

Allgemeine Daten

Mittlere Lebensdauer (Nennwert) (h)	10000
Betriebsgerät erforderlich	Yes
Lampenoberfläche	Coated
Lampenform	Tubular
Dimmbar	Yes
EAN-Code	5410288007311
Leuchtennennwert	Open
Allgemeiner Einsatz	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer
IEC-Referenz	IEC 60081
IEC-Referenz 2	IEC 61195

Reptistar T8

F15W/Reptistar UV-B 5% Retail

0000731

Einsatzzweck	Special lighting
Verschluss/Socket	G13
Quecksilbergehalt der Lampe (mg)	10
Typ	ReptiStar
Bestellnummer	0000731

Lange Bezeichnung

Promotes vitamin D3 production which aids good health, growth and the general well-being of reptiles in terrariums through a high content of UVB (up to 5%) and UVA (up to 30%)
 This full spectrum (6500 K) lamp improves the natural appearance of reptiles
 Shows reptiles in their true colours
 Applications
 For the artificial lighting of reptiles in terrariums
 Directions for use
 This lamp emits UV-radiation. Avoid exposure to skin and eyes

Produktname	F15W/Reptistar UV-B 5% Retail
Lampen für spezielle Einsatzbereiche	Yes
Technologie	Fluorescent
Transformator erforderlich	No
Menge/Verpackungseinheit	10
E-Nummer SE	8356664

Optische Daten

Farbtemperatur (K)	6500
Lichtstrom (Nennwert) (lm)	300
Nutzbarer Lichtstrom (Nennwert) (lm)	300

Elektrische Daten

Stromstärke (A)	0.31
Watt (Nennleistung) (W)	15
Watt (Nennwert) (W)	15
Spannung (V)	55

Physikalische Daten




Lampendurchmesser (mm) – D	26
Lampenlänge (mm) – C/L	451.6
Länge Basis zu Basis (mm) – A	437.4
Länge Basis zu Pin (Min-Max) – B	442.1-444.5
Verpackungsbezeichnung	Box/Sleeve
Gewicht (kg)	0.06
Outer package dimensions (L x W x H) (cm)	54.70 x 6.50 x 14.70
Single package dimensions (L x W x H) (cm)	52.00 x 2.70 x 2.70

Reptistar T8

F15W/Reptistar UV-B 5% Retail

0000731

PHOTOMETRIE



TECHNISCHE ZEICHNUNGEN

