

T8 Coloured

F18W/T8/B

0002563



Range Features

- High quality fluorescent tubes
- Long life
- Available in five colours: Blue, Green, Red, Pink and Yellow
- Applications
- To create special lighting effects in shop windows, bars, fairground attractions, dance halls and discotheques



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288025636
Cap/Base	G13
Туре	T8 Coloured
Watt (Nominal) (W)	18
Ordering number	0002563
Luminous flux (Rated) (lm)	300
Technology	Fluorescent
Voltage (V)	57

DATA TABLE

General	data
GCHCIGI	aata

Average life (Nominal) (h)	8000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288025636
Fixture rating	Open
General application	Retail; Hospitality; Logistics and Industry; Museums; Education; Office; Residential & Consumer



T8 Coloured

F18W/T8/B

0002563

IEC Reference	IEC 60081
IEC Reference 2	IEC 61195
Intended purpose	Special lighting
Cap/Base	G13
Туре	T8 Coloured
Ordering number	0002563
Range features	High quality fluorescent tubes Long life Available in five colours: Blue, Green, Red, Pink and Yellow Applications To create special lighting effects in shop windows, bars, fairground attractions, dance halls and discotheques
Product name	F18W/T8/B
Special purpose lamp	Yes
Technology	Fluorescent
Transformer required	No
Sales pack quantity	25
E-number SE	8356732
E-number FI	4942918
E-number FI Electrical data	4942918
	0.37
Electrical data	
Electrical data Current (A)	0.37
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V)	0.37 18
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W)	0.37 18 18
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V)	0.37 18 18
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data	0.37 18 18 57
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D	0.37 18 18 57
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L	0.37 18 18 57 26 604
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A	0.37 18 18 18 57 26 604 589.8
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A Length base to pin Min-Max - B	0.37 18 18 57 26 604 589.8 594.5-596.9
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A Length base to pin Min-Max - B Single packaging type	0.37 18 18 18 57 26 604 589.8 594.5-596.9 Box/Sleeve
Electrical data Current (A) Watt (Nominal) (W) Watt (Rated) (W) Voltage (V) Physical data Max. Lamp Diameter (mm) - D Lamp Length (mm) - C/L Length base to base (mm) - A Length base to pin Min-Max - B Single packaging type Weight (kg)	0.37 18 18 18 57 26 604 589.8 594.5-596.9 Box/Sleeve

TECHNICAL DRAWINGS



T8 Coloured *F18W/T8/B*

0002563

