

Mini-Lynx Fast-Start

ML FAST-START 827 E27 8W SLV

0035136



Range Features

-



PRODUCT OVERVIEW

Lamp finish	frosted
Lamp shape	Stick
Colour temperature (K)	2700
CRI (Ra)	80
Dimmable	No
EAN code	5410288351360
Energy class	A
Equivalent watt (W)	42
Cap/Base	E27
Type	Mini-Lynx Fast Start T3 3U Stick
Watt (Nominal) (W)	8
Light colour	827 Homelight
Ordering number	0035136
Efficacy (Rated) (lm/w)	56.25
Average life (Rated) (h)	10000
Luminous flux (Rated) (lm)	450
Technology	Compact Fluorescent
Voltage (V)	230-240

Mini-Lynx Fast-Start

ML FAST-START 827 E27 8W SLV

0035136

DATA TABLE

General data

Average life (Nominal) (h)	10000
Control gear required	No
Lamp finish	frosted
Lamp shape	Stick
Dimmable	No
Dry applications use only	Yes
EAN code	5410288351360
Energy class	A
Energy saving lamp	Yes
General application	Hospitality; Residential & Consumer;
IEC Reference	IEC 60968
IEC Reference 2	IEC 60969
IEC Reference 3	IEC 55015
ILCOS code	FBTH-08/27/1b-E27-44/112
Intended purpose	General lighting
Cap/Base	E27
Lamp mercury content (mg)	<2.5
Type	Mini-Lynx Fast Start T3 3U Stick
No. of switching cycles before premature failure (min)	30000
Optimal operating condition (°C)	25° C, cap-up, Stated lumen output may vary if operated in non-standard position
Ordering number	0035136
Product name	ML FAST-START 827 E27 8W SLV
Average life (Rated) (h)	10000
Special purpose lamp	No
Starting time (max) (s)	< 1.50 Sec
Technology	Compact Fluorescent
Transformer required	No
Sales pack quantity	10
Warm-up time to 60% of full light (max) (s)	< 40 s
E-number SE	8357533
E-number FI	4940293

Optical data

Chromaticity coordinate X	0.463
Chromaticity coordinate Y	0.42
Colour temperature (K)	2700
CRI (Ra)	80

Mini-Lynx Fast-Start

ML FAST-START 827 E27 8W SLV

0035136

Light colour	827 Homelight
Lumen maintenance at end of nominal life (%)	= 75.0 %
Luminous flux (Nominal) (lm)	450
Rated lumen maint. factor at 6000 h	= 80.0 %
Luminous flux (Rated) (lm)	450

Electrical data


Current (A)	0.07
Equivalent watt (W)	42
kWh per 1000 hours burning time	8
Lamp power factor	> 0.55
Watt (Nominal) (W)	8
Efficacy (Rated) (lm/w)	56.25
Watt (Rated) (W)	8
Voltage (V)	230-240

Physical data

Max. Lamp Diameter (mm) - D	44
Lamp Length (mm) - C/L	112
Single packaging type	Box/Sleeve
Weight (kg)	0.05
Inner package net weight (kg)	0.52
Inner package dimensions (L x W x H) (cm)	24.00 x 15.00 x 10.40
Outer package dimensions (L x W x H) (cm)	25.00 x 16.50 x 54.50
Single package dimensions (L x W x H) (cm)	12.00 x 4.50 x 4.50

TECHNICAL DRAWINGS

E27



Mini-Lynx Fast-Start

ML FAST-START 827 E27 8W SLV

0035136

