


# PRODUCT DATASHEET

## SMART+ WIFI FLOOR CORNER RGBW

SMART WIFI FLOOR CORNER | Smart and modern floor standing luminaire for indirect illumination with WiFi technology



---

### Areas of application

- Living areas
- Meeting and conference rooms
- For indoor use only

---

### Product benefits

- Clean design, allows for an easy combination with various room styles
- Easy and quick installation

---

### Product features

- Network protocol: WiFi
- Dimmable, RGB and warm white light in one strip
- Indirect illumination



## TECHNICAL DATA

### Electrical data

Nominal wattage	12.00 W
Nominal voltage	220...240 V
Nominal current	75 mA
Mains frequency	50...60 Hz
Power factor $\lambda$	$\geq 0.5$
Operating mode	Mains voltage

### Photometrical data

Light color (designation)	Red / Green / Blue / Tunable White
Standard deviation of color matching	< 6 sdc <sub>m</sub>
Nominal luminous flux	200 lm
Luminous flux	200 lm
Luminous efficacy	16 lm/W
Color temperature	3000...6500 K
Color rendering index Ra	$\geq 80$

### Light technical data

Beam angle	110 °
Starting time	< 0.5 s

### Dimensions & Weight

Product weight	1414.00 g
Length	1420.00 mm
Width	110.00 mm
Height	72.00 mm

### Lifespan

Number of switching cycles	15000
Lifespan	30000 h

## Colors & materials

Product color	Black
Housing color	Black
Body material	Aluminum
Cover material	Polycarbonate (PC)

## Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

## Additional product data

Mounting location	All surfaces
-------------------	--------------

## Capabilities

Dimmable	Yes
Type of connection	Plug type C (EU)
Compatible smart home technology	Google Assistant / Amazon Alexa
LED module replaceable	Not replaceable




## Certificates & Standards

Energy efficiency class	F
Standards	CE
Protection class	II
Type of protection	IP20

## EQUIPMENT / ACCESSORIES

- Control via app or voice control requires compatible Smart home system
- For control via LEDVANCE SMART + WiFi App, a smart phone or Tablet PC is required

## DOWNLOAD DATA

DOWNLOAD DATA	
	User instruction
	Declarations of conformity
	Declarations of conformity



## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075665880	Folding box 1	72 mm x 110 mm x 1,420 mm	1834.00 g	11.25 dm <sup>3</sup>
4058075665897	Shipping box 6	1,440 mm x 236 mm x 245 mm	12504.00 g	83.26 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

