



# ClearFlood – LED solution for sports and area lighting

## ClearFlood

ClearFlood is a range of floodlights that lets you choose the exact number of lumens you need for your application. Designed around state-of-the-art LEDs and extremely high-efficiency optics, this very competitive solution offers an industry-leading lux per euro ratio and significant energy savings. The choice of different optics opens up new application possibilities for LEDs. ClearFlood is easy to install and perfect for replacing conventional light-points as it uses the same electrical installation and poles. Selecting the required light output is also straightforward.

### Benefits

- Designed for 1:1 retrofit, perfect for replacing conventional technology retaining the same electrical installation and poles.
- Highly competitive solution offering an outstanding lux/euro ratio and energy savings.
- Offering a large variety of lighting needs from recreational sport, areas and even road and street, by providing a variety of optics used in the range.
- Multiple control options ensure increased efficiency with intelligent lighting.

## Features

- Diversity of lumen outputs in only one form factor up to 37 klm (system)
- Easy replacement of gear and PCB, no tooling required
- CLO, DALI, CityTouch Ready controls
- High LED and optical efficiency up to 145lm/W
- 100% Philips components
- IP66 and IK09 protection
- Long lifetime 100 Khrs (L80B10 at Ta 25°C)
- Built-in driver class I & II
- high surge protection : 6kV
- Wide choice of optics to suit all applications - Sport and Areas lighting - Asymmetrical, Road and Symmetrical beams with or without louver (optional). New Asymmetrical Optic for Sport lighting (Tennis...)

## Application

- Small-scale recreational sports facilities
- Industrial areas
- Parking lots
- Building facades
- Billboards
- Roundabout, Intersection ..

## Specifications

<b>Type</b>	BVP650:LEDxxx-4S
<b>Light source</b>	Integral LED-module
<b>Power (+/-10%)</b>	Up to 300 W depending on configuration
<b>Luminous flux</b>	Nominal: 7000-44000 lm System: 6000-37000 lm depending on configuration
<b>Luminaire efficacy</b>	Up to 145 lm/W average
<b>Correlated Color</b>	3000, 4000 or 5700 K
<b>Temperature</b>	
<b>Color Rendering Index</b>	80 / 70 / 70
<b>Useful life</b>	100000 hours min L90B10 at 25 °C ambient temperature
<b>Operating temperature range</b>	-40 to +50 °C depending on configuration
<b>Driver</b>	Built-in (self-ballasted LED-module)
<b>Mains voltage</b>	220-240 V / 50-60 Hz
<b>Options</b>	Class I or II DC emergency, on request (MSP) Marine Salt Protection (1000 h)
<b>Power factor</b>	>0.95
<b>Power/data supply</b>	Philips Xitanium 150 W
<b>Surge protection</b>	6 kV
<b>Controls</b>	DynaDimmer (5 step) Constant light output (CLO) Module Temperature Protection (NTC) AmpDim (mains dimming) CityTouch ready; GPRS antenna DALI

<b>Controls system input</b>	DALI
<b>Optic</b>	Asymmetrical optics complete sets with or without internal back light controls louvers (OFA52, DX10, DX50, DX51 and DX60) Symmetrical (S) Medium and large road optics set with or without internal louvers
<b>Optical cover</b>	Clear tempered glass, flat
<b>Material</b>	Housing: die-cast aluminum Universal bracket: sheet steel, galvanized Optional seafront special paint protection
<b>Color</b>	Gray aluminum (RAL9007) Other colors on request
<b>Connection</b>	Mains via M20 cable glands that accept cable diameters from 10 mm to 14 mm. External control command DALI (D9) via a cable gland M20 (same as mains supply) accepting cable diameters from 10 mm to 14 mm (screw-less terminals suitable wires up to 2.5 mm²) or cable entry via 2 cable glands M16 (DALI in / out DALI).
<b>Maintenance</b>	From below by opening the housing with a single quick-release clip
<b>Installation</b>	On roof, mast harrow, or indoor gateway U-bracket stirrup with standard bolts and nuts Protractor scale with intervals of 5° Vertical aiming from the horizontal: -90 to +90° Max adjustment from the horizontal: -170 to +170° SCx: at 90° : 0.26m², at 0° : 0.04m², at 15° : 0.1m²
<b>Certification</b>	CE, ENEC, ENEC+, 005, VDE Ball-proof

# ClearFlood

## Versions


ClearFlood BVP650 floodlighting luminaire



## Product details

Easy to plug in. No tooling required

Hinge for opening



Bracket for mounting/tilting Designed for 1:1 HID retrofit

Memory End cap, Protractor scale with intervals of 5°



Side view



**Approval and Application**

<b>Mech. impact protection code</b>	IK09
<b>Surge Protection (Common/Differential)</b>	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

**Controls and Dimming**

<b>Dimmable</b>	No
-----------------	----

**General Information**

<b>CE mark</b>	CE mark
<b>Light source color</b>	740 neutral white
<b>Optical cover/lens type</b>	Flat glass
<b>Driver included</b>	Yes
<b>ENEC mark</b>	ENEC mark
<b>Flammability mark</b>	For mounting on normally flammable surfaces
<b>Light source replaceable</b>	Yes
<b>Product Family Code</b>	BVP650

**Initial Performance (IEC Compliant)**

<b>Init. Corr. Color Temperature</b>	4000 K
<b>Init. Color Rendering Index</b>	≥70

**Light Technical**

<b>Standard tilt angle side entry</b>	0°
<b>Standard tilt angle posttop</b>	0°
<b>Upward light output ratio</b>	0

**Over Time Performance (IEC Compliant)**

<b>Driver failure rate at 5000 h</b>	0.5 %
--------------------------------------	-------

**Application Conditions**

Order Code	Full Product Name	Average ambient temperature
912300023506	BVP650 LED80--4S/740 PSU S ALU	25 °C
912300023507	BVP650 LED100--4S/740 PSU S ALU	25 °C
912300023508	BVP650 LED120--4S/740 PSU S ALU	25 °C
912300023509	BVP650 LED140--4S/740 PSU S ALU	25 °C
912300023510	BVP650 LED160--4S/740 PSU S ALU	25 °C
912300023511	BVP650 LED180--4S/740 PSU S ALU	25 °C
912300023512	BVP650 LED200--4S/740 PSU S ALU	25 °C
912300023513	BVP650 LED220--4S/740 PSU S ALU	25 °C
912300023514	BVP650 LED240--4S/740 PSU S ALU	25 °C
912300023515	BVP650 LED260--4S/740 PSU S ALU	25 °C
912300023516	BVP650 LED280--4S/740 PSU S ALU	25 °C
912300023517	BVP650 LED300--4S/740 PSU S ALU	25 °C
912300023518	BVP650 LED320--4S/740 PSU S ALU	25 °C
912300023519	BVP650 LED340--4S/740 PSU S ALU	25 °C
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	25 °C
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	25 °C
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	25 °C
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	25 °C
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	25 °C
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	25 °C
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	25 °C
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	25 °C
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	25 °C
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	25 °C
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	25 °C
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	25 °C
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	25 °C
912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	25 °C
912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	25 °C
912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	25 °C
912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	25 °C
912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	25 °C
912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	25 °C
912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	25 °C
912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	25 °C
912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	25 °C
912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	25 °C
912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	25 °C
912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	25 °C
912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	25 °C
912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	25 °C
912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	25 °C
912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	25 °C
912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	25 °C
912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	25 °C
912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	25 °C
912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	25 °C
912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	25 °C
912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	25 °C
912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	25 °C
912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	25 °C

Order Code	Full Product Name	Average ambient temperature
912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	25 °C
912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	25 °C
912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	25 °C
912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	25 °C
912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	25 °C
912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	25 °C
912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	25 °C
912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	25 °C
912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	25 °C
912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	25 °C
912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	25 °C
912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	25 °C
912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	25 °C
912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	25 °C
912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	25 °C
912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	25 °C
912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	25 °C
912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	25 °C
912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	25 °C
912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	25 °C
912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	25 °C
912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	25 °C
912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	25 °C
912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	25 °C
912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	25 °C
912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	25 °C
912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	25 °C
912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	25 °C
912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	25 °C
912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	25 °C
912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	25 °C
912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	25 °C
912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	25 °C
912300023684	BVP650 LED360-4S/740 S ALU PSU	25 °C
912300023685	BVP650 LED380-4S/740 S ALU PSU	25 °C
912300023686	BVP650 LED400-4S/740 S ALU PSU	25 °C
912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	25 °C
912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	25 °C
912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	25 °C
912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	25 °C
912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	25 °C
912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	25 °C
912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	25 °C
912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	25 °C
912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	25 °C
912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	25 °C
912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	25 °C
912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	25 °C
912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	25 °C
912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	25 °C
912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	25 °C
912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	25 °C

Order Code	Full Product Name	Average ambient temperature
912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	25 °C
912300023720	BVP650 LED400--4S/740 PSU DX51 ALU	25 °C
912300023947	BVP650 LED420-4S/740 S ALU PSU	-
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	-
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	-
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	-
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	-
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	-
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	-
912300023954	BVP650 LED440-4S/740 S ALU PSU	-
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	-
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	-
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	-
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	-
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	-
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	-
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	-
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	-
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	-
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	-
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	-

Operating and Electrical

Order Code	Full Product Name	Driver current	Order Code	Full Product Name	Driver current
912300023506	BVP650 LED80--4S/740 PSU S ALU	362 mA	912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	660 mA
912300023507	BVP650 LED100--4S/740 PSU S ALU	340 mA	912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	362 mA
912300023508	BVP650 LED120--4S/740 PSU S ALU	410 mA	912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	340 mA
912300023509	BVP650 LED140--4S/740 PSU S ALU	375 mA	912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	410 mA
912300023510	BVP650 LED160--4S/740 PSU S ALU	435 mA	912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	375 mA
912300023511	BVP650 LED180--4S/740 PSU S ALU	490 mA	912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	435 mA
912300023512	BVP650 LED200--4S/740 PSU S ALU	555 mA	912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	490 mA
912300023513	BVP650 LED220--4S/740 PSU S ALU	615 mA	912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	555 mA
912300023514	BVP650 LED240--4S/740 PSU S ALU	445 mA	912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	615 mA
912300023515	BVP650 LED260--4S/740 PSU S ALU	483 mA	912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	445 mA
912300023516	BVP650 LED280--4S/740 PSU S ALU	530 mA	912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	483 mA
912300023517	BVP650 LED300--4S/740 PSU S ALU	571 mA	912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	530 mA
912300023518	BVP650 LED320--4S/740 PSU S ALU	615 mA	912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	571 mA
912300023519	BVP650 LED340--4S/740 PSU S ALU	660 mA	912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	615 mA
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	362 mA	912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	660 mA
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	340 mA	912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	362 mA
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	410 mA	912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	340 mA
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	375 mA	912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	410 mA
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	435 mA	912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	375 mA
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	490 mA	912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	435 mA
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	555 mA	912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	490 mA
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	615 mA	912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	555 mA
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	445 mA	912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	615 mA
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	483 mA	912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	445 mA
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	530 mA	912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	483 mA
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	571 mA	912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	530 mA
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	615 mA	912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	571 mA

Order Code	Full Product Name	Driver current
912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	615 mA
912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	660 mA
912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	362 mA
912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	340 mA
912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	410 mA
912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	375 mA
912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	435 mA
912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	490 mA
912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	555 mA
912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	615 mA
912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	445 mA
912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	483 mA
912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	530 mA
912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	571 mA
912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	615 mA
912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	660 mA
912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	362 mA
912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	340 mA
912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	410 mA
912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	375 mA
912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	435 mA
912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	490 mA
912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	555 mA
912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	615 mA
912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	445 mA
912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	483 mA
912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	530 mA
912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	571 mA
912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	615 mA
912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	660 mA
912300023684	BVP650 LED360-4S/740 S ALU PSU	700 mA
912300023685	BVP650 LED380-4S/740 S ALU PSU	780 mA
912300023686	BVP650 LED400-4S/740 S ALU PSU	780 mA
912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	700 mA
912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	780 mA

Order Code	Full Product Name	Driver current
912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	780 mA
912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	700 mA
912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	780 mA
912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	780 mA
912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	700 mA
912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	780 mA
912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	780 mA
912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	700 mA
912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	780 mA
912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	780 mA
912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	700 mA
912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	780 mA
912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	780 mA
912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	700 mA
912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	780 mA
912300023720	BVP650 LED400--4S/740 PSU DX51 ALU	780 mA
912300023947	BVP650 LED420-4S/740 S ALU PSU	-
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	-
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	-
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	-
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	-
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	-
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	-
912300023954	BVP650 LED440-4S/740 S ALU PSU	-
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	-
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	-
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	-
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	-
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	-
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	-
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	-
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	-
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	-
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	-
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	-

General Information (1/2)

Order Code	Full Product Name	Luminaire			Lamp family code
		light beam spread	Gear	Glow-wire test	
912300023506	BVP650 LED80--4S/740 PSU S ALU	72° x 22°	EB	Temperature 960 °C, duration 5 s	LED80
912300023507	BVP650 LED100--4S/740 PSU S ALU	72° x 22°	EB	Temperature 960 °C, duration 5 s	LED100
912300023508	BVP650 LED120--4S/740 PSU S ALU	72° x 22°	EB	Temperature 960 °C, duration 5 s	LED120

Order Code	Full Product Name	Luminaire			Lamp family code
		light beam spread	Gear	Glow-wire test	
912300023509	BVP650 LED140--4S/740 PSU S ALU	140° x 70°	EB	Temperature 960 °C, duration 5 s	LED140
912300023510	BVP650 LED160--4S/740 PSU S ALU	140° x 70°	EB	Temperature 960 °C, duration 5 s	LED160
912300023511	BVP650 LED180--4S/740 PSU S ALU	130° x 97°	EB	Temperature 960 °C, duration 5 s	LED180

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023512	BVP650 LED200--4S/740 PSU S ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023513	BVP650 LED220--4S/740 PSU S ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220
912300023514	BVP650 LED240--4S/740 PSU S ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023515	BVP650 LED260--4S/740 PSU S ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260
912300023516	BVP650 LED280--4S/740 PSU S ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023517	BVP650 LED300--4S/740 PSU S ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300
912300023518	BVP650 LED320--4S/740 PSU S ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023519	BVP650 LED340--4S/740 PSU S ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED80
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	88° x 157°		EB	Temperature 960 °C, duration 5 s	LED100
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	88° x 157°		EB	Temperature 960 °C, duration 5 s	LED120
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED140
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED160
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED180
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340
912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED80
912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED100
912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED120
912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED140
912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED160
912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED180
912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220
912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260



Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300
912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340
912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED80
912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED100
912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED120
912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED140
912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED160
912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED180
912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220
912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260
912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340
912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED80
912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED100
912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED120
912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED140
912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED160
912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED180
912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220
912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260
912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300
912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED80
912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED100
912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED120
912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED140
912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED160
912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED180
912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED200
912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED220
912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED240
912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED260
912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED280
912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED300
912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED320
912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	72° x 22°		EB	Temperature 960 °C, duration 5 s	LED340
912300023684	BVP650 LED360-4S/740 S ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED360
912300023685	BVP650 LED380-4S/740 S ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED380

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023686	BVP650 LED400-4S/740 S ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED400
912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	86° x 188°		EB	Temperature 960 °C, duration 5 s	LED360
912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED380
912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED400
912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED360
912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED380
912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED400
912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED360
912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED380
912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED400
912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED360
912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	88° x 187°		EB	Temperature 960 °C, duration 5 s	LED380
912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED400
912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED360
912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED380
912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	83° x 130°		EB	Temperature 960 °C, duration 5 s	LED400

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	140° x 70°		EB	Temperature 960 °C, duration 5 s	LED360
912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	130° x 97°		EB	Temperature 960 °C, duration 5 s	LED380
912300023720	BVP650 LED400--4S/740 PSU DX51 ALU	108° x 113°		EB	Temperature 960 °C, duration 5 s	LED400
912300023947	BVP650 LED420-4S/740 S ALU PSU	70° x 21°		-	-	LED420
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	39° - 11° x 98°		-	-	LED420
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	17° - 5° x 132°		-	-	LED420
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	14° - 5° x 132°		-	-	LED420
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	20° - 4° x 150°		-	-	LED420
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	52° - 7° x 151°		-	-	LED420
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	157° x 111°		-	-	LED420
912300023954	BVP650 LED440-4S/740 S ALU PSU	70° x 21°		-	-	LED440

Order Code	Full Product Name	Luminaire light beam		Gear	Glow-wire test	Lamp family code
		spread				
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	39° - 11° x 98°		-	-	LED440
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	17° - 5° x 132°		-	-	LED440
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	14° - 5° x 132°		-	-	LED440
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	20° - 4° x 150°		-	-	LED440
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	52° - 7° x 151°		-	-	LED440
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	157° x 111°		-	-	LED440
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	8° - 26° x 82°		-	-	LED360
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	8° - 26° x 82°		-	-	LED380
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	8° - 26° x 82°		-	-	LED400
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	8° - 26° x 82°		-	-	LED420
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	8° - 26° x 82°		-	-	LED440

General Information (2/2)

Order Code	Full Product Name	Lamp version	Number	Number	Optic type	UL mark
			of gear units	of light sources		
912300023506	BVP650 LED80--4S/740 PSU S ALU	4S	1 unit	48 pcs	Symmetrical	-
912300023507	BVP650 LED100--4S/740 PSU S ALU	4S	1 unit	64 pcs	Symmetrical	-
912300023508	BVP650 LED120--4S/740 PSU S ALU	4S	1 unit	64 pcs	Symmetrical	-

Order Code	Full Product Name	Lamp version	Number	Number	Optic type	UL mark
			of gear units	of light sources		
912300023509	BVP650 LED140--4S/740 PSU S ALU	4S	1 unit	82 pcs	Symmetrical	-
912300023510	BVP650 LED160--4S/740 PSU S ALU	4S	2 units	82 pcs	Symmetrical	-
912300023511	BVP650 LED180--4S/740 PSU S ALU	4S	2 units	82 pcs	Symmetrical	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023512	BVP650 LED200--4S/740 PSU S ALU	4S	2 units	82 pcs	Symmetrical	-
912300023513	BVP650 LED220--4S/740 PSU S ALU	4S	2 units	82 pcs	Symmetrical	-
912300023514	BVP650 LED240--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023515	BVP650 LED260--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023516	BVP650 LED280--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023517	BVP650 LED300--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023518	BVP650 LED320--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023519	BVP650 LED340--4S/740 PSU S ALU	4S	2 units	120 pcs	Symmetrical	-
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	4S	1 unit	48 pcs	Optiflux asymmetrical axis angle 52°	-
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	4S	1 unit	64 pcs	Optiflux asymmetrical axis angle 52°	-
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	4S	1 unit	64 pcs	Optiflux asymmetrical axis angle 52°	-
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	4S	1 unit	82 pcs	Optiflux asymmetrical axis angle 52°	-
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	4S	2 units	82 pcs	Optiflux asymmetrical axis angle 52°	-
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	4S	2 units	82 pcs	Optiflux asymmetrical axis angle 52°	-
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	4S	2 units	82 pcs	Optiflux asymmetrical axis angle 52°	-
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	4S	2 units	82 pcs	Optiflux asymmetrical axis angle 52°	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	4S	1 unit	48 pcs	Distribution extra wide 50	-
912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	4S	1 unit	64 pcs	Distribution extra wide 50	-
912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	4S	1 unit	64 pcs	Distribution extra wide 50	-
912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	4S	1 unit	82 pcs	Distribution extra wide 50	-
912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	4S	2 units	82 pcs	Distribution extra wide 50	-
912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	4S	2 units	82 pcs	Distribution extra wide 50	-
912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	4S	2 units	82 pcs	Distribution extra wide 50	-
912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	4S	2 units	82 pcs	Distribution extra wide 50	-
912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	4S	1 unit	48 pcs	Distribution wide 10	-
912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	4S	1 unit	64 pcs	Distribution wide 10	-
912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	4S	1 unit	64 pcs	Distribution wide 10	-
912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	4S	1 unit	82 pcs	Distribution wide 10	-
912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	4S	2 units	82 pcs	Distribution wide 10	-
912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	4S	2 units	82 pcs	Distribution wide 10	-
912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	4S	2 units	82 pcs	Distribution wide 10	-
912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	4S	2 units	82 pcs	Distribution wide 10	-
912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-
912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-
912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-
912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-
912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	4S	2 units	120 pcs	Distribution wide 10	-
912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	4S	1 unit	48 pcs	Distribution extra wide 10	-
912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	4S	1 unit	64 pcs	Distribution extra wide 10	-
912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	4S	1 unit	64 pcs	Distribution extra wide 10	-
912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	4S	1 unit	82 pcs	Distribution extra wide 10	-
912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	4S	2 units	82 pcs	Distribution extra wide 10	-
912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	4S	2 units	82 pcs	Distribution extra wide 10	-
912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	4S	2 units	82 pcs	Distribution extra wide 10	-
912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	4S	2 units	82 pcs	Distribution extra wide 10	-
912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	4S	2 units	120 pcs	Distribution extra wide 10	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	4S	1 unit	48 pcs	Distribution medium 10	-
912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	4S	1 unit	64 pcs	Distribution medium 10	-
912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	4S	1 unit	64 pcs	Distribution medium 10	-
912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	4S	1 unit	82 pcs	Distribution medium 10	-
912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	4S	2 units	82 pcs	Distribution medium 10	-
912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	4S	2 units	82 pcs	Distribution medium 10	-
912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	4S	2 units	82 pcs	Distribution medium 10	-
912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	4S	2 units	82 pcs	Distribution medium 10	-
912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	4S	2 units	120 pcs	Distribution medium 10	-
912300023684	BVP650 LED360-4S/740 S ALU PSU	4S	2 units	120 pcs	Symmetrical	-
912300023685	BVP650 LED380-4S/740 S ALU PSU	4S	2 units	120 pcs	Symmetrical	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023686	BVP650 LED400-4S/740 S ALU PSU	4S	2 units	120 pcs	Symmetrical	-
912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	4S	2 units	120 pcs	Optiflux asymmetrical axis angle 52°	-
912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 50	-
912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	4S	2 units	120 pcs	Distribution wide 10	-
912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	4S	2 units	120 pcs	Distribution wide 10	-
912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	4S	2 units	120 pcs	Distribution wide 10	-
912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	4S	2 units	120 pcs	Distribution extra wide 10	-
912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	4S	2 units	120 pcs	Distribution medium 10	-
912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	4S	2 units	120 pcs	Distribution medium 10	-
912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	4S	2 units	120 pcs	Distribution medium 10	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	4S	2 units	120 pcs	Distribution extra wide 51	-
912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	4S	2 units	120 pcs	Distribution extra wide 51	-
912300023720	BVP650 LED400--4S/740 PSU DX51 ALU	4S	2 units	120 pcs	Distribution extra wide 51	-
912300023947	BVP650 LED420-4S/740 S ALU PSU	-	2 units	-	Symmetrical	-
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	-	2 units	-	Optiflux asymmetrical axis angle 52°	-
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	-	2 units	-	Distribution extra wide 50	-
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	-	2 units	-	Distribution extra wide 51	-
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	-	2 units	-	Distribution extra wide 10	-
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	-	2 units	-	Distribution wide 10	-
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	-	2 units	-	Distribution medium 10	-
912300023954	BVP650 LED440-4S/740 S ALU PSU	-	2 units	-	Symmetrical	-

Order Code	Full Product Name	Lamp version	Number of gear units	Number of light sources	Optic type	UL mark
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	-	2 units	-	Optiflux asymmetrical axis angle 52°	-
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	-	2 units	-	Distribution extra wide 50	-
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	-	2 units	-	Distribution extra wide 51	-
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	-	2 units	-	Distribution extra wide 10	-
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	-	2 units	-	Distribution wide 10	-
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	-	2 units	-	Distribution medium 10	-
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	-	2 units	-	Distribution extra wide 60	-
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	-	2 units	-	Distribution extra wide 60	-
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	-	2 units	-	Distribution extra wide 60	-
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	-	2 units	-	Distribution extra wide 60	-
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	-	2 units	-	Distribution extra wide 60	-

**Initial Performance (IEC Compliant)**

Order Code	Full Product Name	Initial luminous flux
912300023506	BVP650 LED80--4S/740 PSU S ALU	7212 lm
912300023507	BVP650 LED100--4S/740 PSU S ALU	8995 lm
912300023508	BVP650 LED120--4S/740 PSU S ALU	10762 lm
912300023509	BVP650 LED140--4S/740 PSU S ALU	12542 lm
912300023510	BVP650 LED160--4S/740 PSU S ALU	14276 lm
912300023511	BVP650 LED180--4S/740 PSU S ALU	16017 lm
912300023512	BVP650 LED200--4S/740 PSU S ALU	17730 lm
912300023513	BVP650 LED220--4S/740 PSU S ALU	19440 lm
912300023514	BVP650 LED240--4S/740 PSU S ALU	21182 lm
912300023515	BVP650 LED260--4S/740 PSU S ALU	22857 lm
912300023516	BVP650 LED280--4S/740 PSU S ALU	24530 lm
912300023517	BVP650 LED300--4S/740 PSU S ALU	26195 lm
912300023518	BVP650 LED320--4S/740 PSU S ALU	27808 lm

Order Code	Full Product Name	Initial luminous flux
912300023519	BVP650 LED340--4S/740 PSU S ALU	29406 lm
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	7100 lm
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	8855 lm
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	10595 lm
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	12347 lm
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	14054 lm
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	15768 lm
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	17454 lm
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	19138 lm
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	20853 lm
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	22502 lm
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	24149 lm
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	25788 lm

Order Code	Full Product Name	Initial luminous flux
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	27376 lm
912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	28950 lm
912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	6844 lm
912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	8536 lm
912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	10212 lm
912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	11902 lm
912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	13547 lm
912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	15199 lm
912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	16825 lm
912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	18448 lm
912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	20100 lm
912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	21690 lm
912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	23278 lm
912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	24857 lm
912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	26388 lm
912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	27905 lm
912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	7076 lm
912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	8825 lm
912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	10559 lm
912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	12306 lm
912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	14006 lm
912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	15715 lm
912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	17395 lm
912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	19074 lm
912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	20782 lm
912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	22426 lm
912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	24067 lm
912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	25700 lm
912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	27283 lm
912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	28852 lm
912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	6796 lm
912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	8476 lm
912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	10141 lm
912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	11818 lm
912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	13452 lm
912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	15093 lm
912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	16707 lm
912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	18318 lm
912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	19959 lm
912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	21538 lm
912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	23115 lm
912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	24683 lm
912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	26203 lm
912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	27709 lm
912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	7052 lm
912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	8795 lm
912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	10523 lm
912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	12264 lm
912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	13959 lm

Order Code	Full Product Name	Initial luminous flux
912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	15662 lm
912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	17336 lm
912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	19009 lm
912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	20712 lm
912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	22350 lm
912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	23986 lm
912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	25613 lm
912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	27191 lm
912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	28754 lm
912300023684	BVP650 LED360-4S/740 S ALU PSU	30985 lm
912300023685	BVP650 LED380-4S/740 S ALU PSU	32541 lm
912300023686	BVP650 LED400-4S/740 S ALU PSU	34067 lm
912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	30504 lm
912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	32035 lm
912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	33538 lm
912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	29404 lm
912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	30879 lm
912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	32328 lm
912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	30401 lm
912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	31927 lm
912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	33424 lm
912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	29197 lm
912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	30663 lm
912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	32101 lm
912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	30298 lm
912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	31818 lm
912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	33311 lm
912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	17952 lm
912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	18853 lm
912300023720	BVP650 LED400--4S/740 PSU DX51 ALU	19737 lm
912300023947	BVP650 LED420-4S/740 S ALU PSU	37270 lm
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	36691 lm
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	33792 lm
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	20631 lm
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	33555 lm
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	34938 lm
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	34820 lm
912300023954	BVP650 LED440-4S/740 S ALU PSU	37270 lm
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	36691 lm
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	35367 lm
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	21592 lm
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	35519 lm
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	36567 lm
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	36442 lm
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	31206 lm
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	32948 lm
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	34328 lm
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	36045 lm
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	37725 lm

**Mechanical and Housing**



Order Code	Full Product Name	Color	Order Code	Full Product Name	Color
912300023506	BVP650 LED80--4S/740 PSU S ALU	Aluminum	912300023561	BVP650 LED280--4S/740 PSU DW10 ALU	Aluminum
912300023507	BVP650 LED100--4S/740 PSU S ALU	Aluminum	912300023562	BVP650 LED300--4S/740 PSU DW10 ALU	Aluminum
912300023508	BVP650 LED120--4S/740 PSU S ALU	Aluminum	912300023563	BVP650 LED320--4S/740 PSU DW10 ALU	Aluminum
912300023509	BVP650 LED140--4S/740 PSU S ALU	Aluminum	912300023564	BVP650 LED340--4S/740 PSU DW10 ALU	Aluminum
912300023510	BVP650 LED160--4S/740 PSU S ALU	Aluminum	912300023566	BVP650 LED80--4S/740 PSU DX10 ALU	Aluminum
912300023511	BVP650 LED180--4S/740 PSU S ALU	Aluminum	912300023567	BVP650 LED100--4S/740 PSU DX10 ALU	Aluminum
912300023512	BVP650 LED200--4S/740 PSU S ALU	Aluminum	912300023568	BVP650 LED120--4S/740 PSU DX10 ALU	Aluminum
912300023513	BVP650 LED220--4S/740 PSU S ALU	Aluminum	912300023569	BVP650 LED140--4S/740 PSU DX10 ALU	Aluminum
912300023514	BVP650 LED240--4S/740 PSU S ALU	Aluminum	912300023570	BVP650 LED160--4S/740 PSU DX10 ALU	Aluminum
912300023515	BVP650 LED260--4S/740 PSU S ALU	Aluminum	912300023571	BVP650 LED180--4S/740 PSU DX10 ALU	Aluminum
912300023516	BVP650 LED280--4S/740 PSU S ALU	Aluminum	912300023572	BVP650 LED200--4S/740 PSU DX10 ALU	Aluminum
912300023517	BVP650 LED300--4S/740 PSU S ALU	Aluminum	912300023573	BVP650 LED220--4S/740 PSU DX10 ALU	Aluminum
912300023518	BVP650 LED320--4S/740 PSU S ALU	Aluminum	912300023574	BVP650 LED240--4S/740 PSU DX10 ALU	Aluminum
912300023519	BVP650 LED340--4S/740 PSU S ALU	Aluminum	912300023575	BVP650 LED260--4S/740 PSU DX10 ALU	Aluminum
912300023521	BVP650 LED80--4S/740 PSU OFA52 ALU	Aluminum	912300023576	BVP650 LED280--4S/740 PSU DX10 ALU	Aluminum
912300023522	BVP650 LED100--4S/740 PSU OFA52 ALU	Aluminum	912300023577	BVP650 LED300--4S/740 PSU DX10 ALU	Aluminum
912300023523	BVP650 LED120--4S/740 PSU OFA52 ALU	Aluminum	912300023578	BVP650 LED320--4S/740 PSU DX10 ALU	Aluminum
912300023524	BVP650 LED140--4S/740 PSU OFA52 ALU	Aluminum	912300023579	BVP650 LED340--4S/740 PSU DX10 ALU	Aluminum
912300023525	BVP650 LED160--4S/740 PSU OFA52 ALU	Aluminum	912300023581	BVP650 LED80--4S/740 PSU DM10 ALU	Aluminum
912300023526	BVP650 LED180--4S/740 PSU OFA52 ALU	Aluminum	912300023582	BVP650 LED100--4S/740 PSU DM10 ALU	Aluminum
912300023527	BVP650 LED200--4S/740 PSU OFA52 ALU	Aluminum	912300023583	BVP650 LED120--4S/740 PSU DM10 ALU	Aluminum
912300023528	BVP650 LED220--4S/740 PSU OFA52 ALU	Aluminum	912300023584	BVP650 LED140--4S/740 PSU DM10 ALU	Aluminum
912300023529	BVP650 LED240--4S/740 PSU OFA52 ALU	Aluminum	912300023585	BVP650 LED160--4S/740 PSU DM10 ALU	Aluminum
912300023530	BVP650 LED260--4S/740 PSU OFA52 ALU	Aluminum	912300023586	BVP650 LED180--4S/740 PSU DM10 ALU	Aluminum
912300023531	BVP650 LED280--4S/740 PSU OFA52 ALU	Aluminum	912300023587	BVP650 LED200--4S/740 PSU DM10 ALU	Aluminum
912300023532	BVP650 LED300--4S/740 PSU OFA52 ALU	Aluminum	912300023588	BVP650 LED220--4S/740 PSU DM10 ALU	Aluminum
912300023533	BVP650 LED320--4S/740 PSU OFA52 ALU	Aluminum	912300023589	BVP650 LED240--4S/740 PSU DM10 ALU	Aluminum
912300023534	BVP650 LED340--4S/740 PSU OFA52 ALU	Aluminum	912300023590	BVP650 LED260--4S/740 PSU DM10 ALU	Aluminum
912300023536	BVP650 LED80--4S/740 PSU DX50 ALU	Aluminum	912300023591	BVP650 LED280--4S/740 PSU DM10 ALU	Aluminum
912300023537	BVP650 LED100--4S/740 PSU DX50 ALU	Aluminum	912300023592	BVP650 LED300--4S/740 PSU DM10 ALU	Aluminum
912300023538	BVP650 LED120--4S/740 PSU DX50 ALU	Aluminum	912300023593	BVP650 LED320--4S/740 PSU DM10 ALU	Aluminum
912300023539	BVP650 LED140--4S/740 PSU DX50 ALU	Aluminum	912300023594	BVP650 LED340--4S/740 PSU DM10 ALU	Aluminum
912300023540	BVP650 LED160--4S/740 PSU DX50 ALU	Aluminum	912300023684	BVP650 LED360-4S/740 S ALU PSU	Gray
912300023541	BVP650 LED180--4S/740 PSU DX50 ALU	Aluminum	912300023685	BVP650 LED380-4S/740 S ALU PSU	Gray
912300023542	BVP650 LED200--4S/740 PSU DX50 ALU	Aluminum	912300023686	BVP650 LED400-4S/740 S ALU PSU	Gray
912300023543	BVP650 LED220--4S/740 PSU DX50 ALU	Aluminum	912300023687	BVP650 LED360-4S/740 OFA52 ALU PSU	Aluminum
912300023544	BVP650 LED240--4S/740 PSU DX50 ALU	Aluminum	912300023688	BVP650 LED380--4S/740 PSU OFA52 ALU	Aluminum
912300023545	BVP650 LED260--4S/740 PSU DX50 ALU	Aluminum	912300023689	BVP650 LED400--4S/740 PSU OFA52 ALU	Aluminum
912300023546	BVP650 LED280--4S/740 PSU DX50 ALU	Aluminum	912300023690	BVP650 LED360-4S/740 DX50 ALU PSU	Gray
912300023547	BVP650 LED300--4S/740 PSU DX50 ALU	Aluminum	912300023691	BVP650 LED380-4S/740 DX50 ALU PSU	Gray
912300023548	BVP650 LED320--4S/740 PSU DX50 ALU	Aluminum	912300023692	BVP650 LED400-4S/740 DX50 ALU PSU	Gray
912300023549	BVP650 LED340--4S/740 PSU DX50 ALU	Aluminum	912300023693	BVP650 LED360-4S/740 DW10 ALU PSU	Gray
912300023551	BVP650 LED80--4S/740 PSU DW10 ALU	Aluminum	912300023694	BVP650 LED380-4S/740 DW10 ALU PSU	Gray
912300023552	BVP650 LED100--4S/740 PSU DW10 ALU	Aluminum	912300023695	BVP650 LED400-4S/740 DW10 ALU PSU	Gray
912300023553	BVP650 LED120--4S/740 PSU DW10 ALU	Aluminum	912300023696	BVP650 LED360-4S/740 DX10 ALU PSU	Gray
912300023554	BVP650 LED140--4S/740 PSU DW10 ALU	Aluminum	912300023697	BVP650 LED380-4S/740 DX10 ALU PSU	Gray
912300023555	BVP650 LED160--4S/740 PSU DW10 ALU	Aluminum	912300023698	BVP650 LED400-4S/740 DX10 ALU PSU	Gray
912300023556	BVP650 LED180--4S/740 PSU DW10 ALU	Aluminum	912300023699	BVP650 LED360-4S/740 DM10 ALU PSU	Gray
912300023557	BVP650 LED200--4S/740 PSU DW10 ALU	Aluminum	912300023701	BVP650 LED380-4S/740 DM10 ALU PSU	Gray
912300023558	BVP650 LED220--4S/740 PSU DW10 ALU	Aluminum	912300023702	BVP650 LED400-4S/740 DM10 ALU PSU	Gray
912300023559	BVP650 LED240--4S/740 PSU DW10 ALU	Aluminum	912300023718	BVP650 LED360--4S/740 PSU DX51 ALU	Gray
912300023560	BVP650 LED260--4S/740 PSU DW10 ALU	Aluminum	912300023719	BVP650 LED380--4S/740 PSU DX51 ALU	Gray

Order Code	Full Product Name	Color
912300023720	BVP650 LED400-4S/740 PSU DX51 ALU	Gray
912300023947	BVP650 LED420-4S/740 S ALU PSU	Gray
912300023948	BVP650 LED420-4S/740 OFA52 ALU PSU	Gray
912300023949	BVP650 LED420-4S/740 DX50 ALU PSU	Gray
912300023950	BVP650 LED420-4S/740 DX51 ALU PSU	Gray
912300023951	BVP650 LED420-4S/740 DX10 ALU PSU	Gray
912300023952	BVP650 LED420-4S/740 DW10 ALU PSU	Gray
912300023953	BVP650 LED420-4S/740 DM10 ALU PSU	Gray
912300023954	BVP650 LED440-4S/740 S ALU PSU	Gray
912300023955	BVP650 LED440-4S/740 OFA52 ALU PSU	Gray

Order Code	Full Product Name	Color
912300023956	BVP650 LED440-4S/740 DX50 ALU PSU	Gray
912300023957	BVP650 LED440-4S/740 DX51 ALU PSU	Gray
912300023958	BVP650 LED440-4S/740 DX10 ALU PSU	Gray
912300023959	BVP650 LED440-4S/740 DW10 ALU PSU	Gray
912300023960	BVP650 LED440-4S/740 DM10 ALU PSU	Gray
912300023994	BVP650 LED360-4S/740 DX60 ALU PSU	Gray
912300023995	BVP650 LED380-4S/740 DX60 ALU PSU	Gray
912300023996	BVP650 LED400-4S/740 DX60 ALU PSU	Gray
912300023997	BVP650 LED420-4S/740 DX60 ALU PSU	Gray
912300023998	BVP650 LED440-4S/740 DX60 ALU PSU	Gray

