



InfraRed Industrial Heat Incandescent

BR125 IR 150W E27 230-250V CL 1CT/10

The Philips infrared incandescent reflector lamps are designed to work in the toughest environment such as farm, bathroom or kitchen and their nearest surrounding. They have a reinforced construction thanks to hard glass use. Their compact form and universal cap base allow them to be used with any suitable equipment. A very good method of generating warmth is by using heat lamps. The Philips infrared lamps provide direct, draught-free warmth to the animals, people, but also food. These benefits have made farmers, consumers and cooks around the world choose Philips infrared lamps, because they are the sturdiest, most efficient lamps available for these applications.

Product data

• General Information

Cap-Base	E27 [E27]
Operating Position	UNIVERSAL [Any or Universal (U)]
Main Application	Infrared Industrial
Nominal Lifetime (Nom)	5000 h

• Operating and Electrical

Power (Rated) (Nom)	150 W
Voltage (Nom)	230-250 V

• Controls and Dimming

Dimmable	Yes
----------	-----

• Mechanical and Housing

Bulb Finish	Clear (CL)
-------------	------------

Bulb Material	Hard Glass
---------------	------------

• Luminaire Design Requirements


Bulb Temperature (Max)	500 °C
------------------------	--------

• Product Data

Full product code	871150057522725
Order product name	BR125 IR 150W E27 230-250V CL 1CT/10
EAN/UPC - Product	8711500575227
Order code	923211943801
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	923211943801
Net Weight (Piece)	104.000 g

PHILIPS


Dimensional drawing



E27, BR125

BR125 IR 150W E27 230-250V CL

Product	D	C
BR125 IR 150W E27 230-250V CL 1CT/10	125 mm	173 mm



© 2015 Philips Lighting Holding B.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2015, December 24
data subject to change