
SPC.T CL 15 W 230 V E14

SPECIAL T/FRIDGE | Incandescent lamps, tubular shape, for fridge lighting

Areas of application

- Domestic refrigerators
- Sewing machines



Technical data

Electrical data

Nominal wattage	15.00 W
Nominal voltage	230 V
Rated wattage	15.00 W


Photometrical data

Luminous flux	90 lm
Nominal luminous flux	90 lm
Rated luminous flux	90 lm
Color temperature	2700 K
Color rendering index Ra	100
Color rendering index Ra	100

Light technical data

Starting time	0.0 s
---------------	-------

Dimensions & weight



Diameter	17.0 mm
Length	54.0 mm
Overall length	54.0 mm
Outer bulb	T16

Lifespan

Nominal lamp life time	1500 h
Rated lamp life time	1500 h

Additional product data

Product datasheet

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes

Capabilities

Dimmable	Yes
----------	-----

Certificates & standards

Energy efficiency class	E
Energy consumption	15 kWh/1000h

Country specific categorizations

ILCOS	IBT/C-15-230-E14-17
-------	---------------------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300066639	SPC.T CL 15 W 230 V E14	Shipping carton box 50	204 mm x 78 mm x 110 mm	1.75 dm ³	476.00 g
4050300092928	SPC.T CL 15 W 230 V E14	Shipping carton box 10	148 mm x 156 mm x 130 mm	3.00 dm ³	264.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.